



MATHEMATICS

0580/41

Paper 4 (Extended)

October/November 2017

MARK SCHEME

Maximum Mark: 130

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfw	not from wrong working
soi	seen or implied

Question	Answer	Marks	Partial marks
1(a)	2915	2	M1 for $10\,494 \div (13 + 5)$ oe
1(b)	1056	2	M1 for $384 \div (10 - 6)$ oe
1(c)(i)	52.2 or 52.17...	2	M1 for $20 \div 23$ or 20×60 or $23 \div 60$ isw If zero scored, SC1 for answer 52.6 (from use of 0.38)
1(c)(ii)	63[.0] or 63.03 to 63.05...	5	M4 for $\frac{\text{their } 52.17... - 32}{32} \times 100$ oe or M3 for $\frac{\text{their } 52.17... - 32}{32}$ oe or $\frac{\text{their } 52.17...}{32} \times 100$ oe OR B2 for $\frac{5}{8}$ [hours] oe or 37.5 [minutes] or M1 for $20 \div 32$ or better and M2 for $\frac{\text{their } 37.5 - 23}{23} \times 100$ oe or M1 for $\frac{\text{their } 37.5 - 23}{23}$ or $\frac{\text{their } 37.5}{23} \times 100$
1(d)	0.06 final answer nfw	3	M1 for $11.99 \div 0.9276$ or 12.99×0.9276 A1 for 12.93 or 12.925 to 12.926
1(e)	9750	3	M2 for $7605 \div \left(1 - \frac{22}{100}\right)$ oe or M1 for $(100 - 22)[\%]$ correctly associated with 7605 seen

Question	Answer	Marks	Partial marks
2(a)	122	4	B3 for 238 or 61 or 58 correctly identified in working or on diagram or B2 for 952 seen or 74 or 119 or 29 correctly identified in working or on diagram OR Method 1 using sum of interior angles M1 for $(8 - 2) \times 180$ or 1080 isw M1 for <i>their</i> $1080 - 4 \times 32$ M1 for $360 - \text{their } 952 \div 4$ OR Method 2 using isosceles triangles and square M1 for $(180 - 32) \div 2$ or for 90 M1 for <i>their</i> $74 \times 2 + 90$ or $90 - \text{their } 74$ M1 for $360 - \text{their } 74 \times 2 + 90$ or $90 + 2(90 - \text{their } 74)$ OR Method 3 using four kites joined to centre M1 for $360 \div 4$ M1 for $(360 - (\text{their } 90 + 32)) \div 2$ M1 for $2(180 - \text{their } 119)$ OR Method 4 using square around outside M1 for $90 - 32$ M1 for $(90 - 32) \div 2$ M1 for $180 - 2(\text{their } 29)$
2(b)	105	3	M2 for $360 = 2 \times y + (2y - 60)$ oe or $2(180 - y) = 2y - 60$ oe or B1 identifying in working or on diagram a relevant angle in terms of y
3(a)	-2.75 or $-2\frac{3}{4}$	2	M1 for $11x - 3x = -7 - 15$ or better
3(b)(i)	$(x + 11)(x - 2)$ final answer	2	M1 for $(x + a)(x + b)$ where $ab = -22$ or $a + b = 9$
3(b)(ii)	-11 and 2 final answer	1	
3(c)	$[x] = \frac{2a}{2-y}$ or $\frac{-2a}{y-2}$ nfw final answer	4	M1 for clearing the x term in the denominator M1 for correctly removing the bracket (expand or divide by 2) M1 for factorising to obtain single x term M1 for <i>their</i> factor and division Incorrect answer scores 3 out of 4 maximum
3(d)	$\frac{x}{x+6}$ nfw final answer	3	M1 for $x(x - 6)$ M1 for $(x + 6)(x - 6)$

Question	Answer	Marks	Partial marks
4(a)	10, 7	2	B1 for each value
4(b)	Correct curve	4	B3 FT for 10 or 11 correct points B2 FT for 8 or 9 correct points B1 FT for 6 or 7 correct points FT <i>their</i> table
4(c)	-1.7 to -1.55	1	FT <i>their</i> graph if one answer
4(d)	Tangent ruled at $x = 3.5$	B1	No daylight between tangent and curve at point of contact
	6.5 to 11	B2	dep on tangent drawn or close attempt at tangent at $x = 3.5$ M1 for rise/run also dep on tangent or close attempt at $x = 3.5$
4(e)	line $y = 2x + 10$ ruled <u>AND</u> -1.3 to -1.1 1 4.1 to 4.25	4	B3 for correct line (could be short) and 1 correct value or B2 for correct line (could be short) or B1 for $[y =] 2x + 10$ seen If zero scored, SC1 for no/wrong line and 3 correct values
5(a)	54, 76, 96	3	B1 for each
5(b)	187 or 186.8 to 186.9 nfw	4	M1 for 155, 175, 185, 200, 225 soi M1 for Σfm with <i>their</i> frequencies from (a) $155 \times \text{their } 54 + 175 \times \text{their } 76 + 185 \times \text{their } 96 + 200 \times 92 + 225 \times 42$ M1 (dep on second M1) for <i>their</i> $\Sigma fm \div 360$
6(a)	18 22 $4n + 2$ oe 17 26 $n^2 + 1$ oe	6	B2 for 18, 22, 17, 26 or B1 for two or three correct values AND B2 for $4n + 2$ oe or B1 for $4n + k$ oe or $pn + 2$ ($p \neq 0$) AND B2 for $n^2 + 1$ oe or B1 for $n^2 + k$ oe
6(b)	242	1	FT <i>their</i> $4n + 2$ provided a linear expression
6(c)	15	1	
6(d)	3	2	M1 for $2 \times 1^2 + 2 \times 1 + q = 7$ oe

Question	Answer	Marks	Partial marks
7(a)	-7	1	
7(b)	$\frac{4}{64}$ or better	2	M1 for $g(4^3)$ soi or $\frac{4}{4^x}$ or better
7(c)	$\frac{3-x}{2}$ oe final answer	2	M1 for $x = 3 - 2y$ or $2x = 3 - y$ or $\frac{y}{2} = \frac{3}{2} - x$ or $\frac{y-3}{-2}$ oe as final answer
7(d)	4^{3-2x}	M1	
	Correctly interprets the indices	M1	Dep on previous M1 e.g. $4^3 \times 4^{-2x}$ or $4^3 \times \frac{1}{4^{2x}}$ or $\frac{4^3}{4^{2x}}$
	$\frac{64}{16^x}$ nfw	A1	Correct completion with no errors
7(e)	1.5	2	B1 for $4^x = 8$ or better
8(a)	$\pi \times \frac{5}{2} \times l + \frac{4}{2} \times \pi \times \left(\frac{5}{2}\right)^2 = \frac{115\pi}{4}$ oe or $\frac{115\pi}{4} - \frac{4}{2} \times \pi \times \left(\frac{5}{2}\right)^2 = \pi \times \frac{5}{2} \times l$ oe	M2	M1 for $\pi \times \frac{5}{2} \times l$ or $\frac{4}{2} \times \pi \times \left(\frac{5}{2}\right)^2$
	$\frac{5\pi l}{2} = \frac{65\pi}{4}$ oe or $[l =] \left(\frac{115\pi}{4} - 2 \times \pi \times 2.5^2 \right) \div 2.5\pi$ oe	B1	nfw oe both terms must be written in terms of π nfw or correct complete method for l with decimals
	$[l =] \frac{65\pi \times 2}{4 \times 5\pi}$ or $\frac{65\pi}{10\pi}$ oe = 6.5	A1	Correct calculation with no errors and B1 earned
8(b)	6	3	M2 for $\sqrt{6.5^2 - 2.5^2}$ or M1 for $h^2 + 2.5^2 = 6.5^2$ If zero scored, SC2dep for answer 4.15[3]...

Question	Answer	Marks	Partial marks
8(c)	72[.0...] or 71.99... nfw	4	M3 for $\frac{\pi}{3} \times \left(\frac{5}{2}\right)^2 \times \text{their } 6 + \frac{1}{2} \times \frac{4\pi}{3} \times \left(\frac{5}{2}\right)^3$ oe or M1 for $\frac{\pi}{3} \times \left(\frac{5}{2}\right)^2 \times \text{their } 6$ oe and M1 for $\frac{1}{2} \times \frac{4\pi}{3} \times \left(\frac{5}{2}\right)^3$ oe If zero scored, SC3dep for $\frac{\pi}{3} \times (5)^2 \times \text{their } 4.15 + \frac{1}{2} \times \frac{4\pi}{3} \times (5)^3$ oe or SC1dep for $\frac{\pi}{3} \times (5)^2 \times \text{their } 4.15$ oe SC1dep for $\frac{1}{2} \times \frac{4\pi}{3} \times (5)^3$ oe
8(d)	53.7 or 53.65 to 53.67	3	M1 for figs (<i>their (c)</i>) $\times 19.3 \times 38.62$ or better M1 for $\div 1000$ soi
9(a)(i)	52	2	M1 for $(1 - 0.35) \times 80$ oe
9(a)(ii)	84	1	
9(b)(i)	$\frac{27}{729}$ oe	2	M1 for $\frac{3}{9} \times \frac{3}{9} \times \frac{3}{9}$
9(b)(ii)	$\frac{144}{729}$ oe	3	M2 for $\frac{2}{9} \times \frac{3}{9} \times \frac{4}{9} \times 6$ oe or M1 for $\frac{2}{9} \times \frac{3}{9} \times \frac{4}{9}$ oe isw
9(c)	$\frac{42}{60}$ oe	4	M3 for $\frac{3}{5} \times \frac{2}{4} \times \frac{1}{3} + \frac{3}{5} \times \frac{2}{4} \times \frac{2}{3} \times 3$ oe or M2 for $\frac{3}{5} \times \frac{2}{4} \times \frac{2}{3} \times 3$ oe or for $\frac{3}{5} \times \frac{2}{4} \times \frac{1}{3} + \left(\frac{3}{5} \times \frac{2}{4} \times \frac{2}{3}\right) [\times 2]$ or M1 for $\frac{3}{5} \times \frac{2}{4} \times \frac{1}{3}$ or $\frac{3}{5} \times \frac{2}{4} \times \frac{2}{3}$ oe isw or for PPG, PGP, GPP and PPP selected soi

Question	Answer	Marks	Partial marks
10(a)	$12.5^2 = x^2 + 8.5^2 - 2 \times x \times 8.5 \cos 60$ oe isw	M2	M1 for $\cos 60 = \frac{x^2 + 8.5^2 - 12.5^2}{2 \times x \times 8.5}$
	$156.25 = x^2 + 72.25 - 8.5x$	A1	or better
	$2x^2 - 17x - 168 = 0$	A1	with no errors or omissions
10(b)	$\frac{[-]17 \pm \sqrt{([-]17)^2 - 4(2)(-168)}}{2 \times 2}$	2	B1 for $\sqrt{([-]17)^2 - 4(2)(-168)}$ or better seen and if in form $\frac{p + \text{or} - \sqrt{q}}{r}$ B1 for $p = [-] 17$ and $r = 2 \times 2$
	14.35, -5.85 final answers	1, 1	SC1 for 14.352 to 14.353 and -5.853 to -5.852 seen or 14.3 or 14.4 and -5.8 or -5.9 as final answers or -14.35 and 5.85 as final answers or 14.35 and -5.85 seen in working
10(c)	12.2 or 12.17... nfw	3	M2 for $\frac{\text{their } 14.35 \times \sin 46}{\sin 58}$ or M1 for $\frac{\sin 46}{CD} = \frac{\sin 58}{\text{their } 14.35}$
10(d)	138 or 137.5 to 137.8 nfw	3	M1 for $0.5 \times \text{their } 14.35 \times 8.5 \sin 60$ M1 for $0.5 \times \text{their } 14.35 \times \text{their } 12.2 \times \sin 76$
11(a)(i)	$\begin{pmatrix} 1 & -18 \\ 6 & 13 \end{pmatrix}$	2	M1 for two or three correct elements
11(a)(ii)	$\frac{1}{11} \begin{pmatrix} 4 & 3 \\ -1 & 2 \end{pmatrix}$ or better isw	2	M1 for $\det = 11$ or $[k] \begin{pmatrix} 4 & 3 \\ -1 & 2 \end{pmatrix}$ isw
11(b)	Reflection	1	
	y-axis oe	1	
11(c)	$\begin{pmatrix} 0 & 1 \\ -1 & 0 \end{pmatrix}$	2	B1 for one correct column or row

Question	Answer	Marks	Partial marks
11(d)(i)	$\frac{1}{7}(4\mathbf{a} + 3\mathbf{b})$ or $\frac{4}{7}\mathbf{a} + \frac{3}{7}\mathbf{b}$	3	M2 for correct unsimplified answer seen or $\overrightarrow{AP} = \frac{3}{7}(\mathbf{b} - \mathbf{a})$ oe or $\overrightarrow{BP} = \frac{4}{7}(\mathbf{a} - \mathbf{b})$ oe or M1 for $\overrightarrow{AB} = \mathbf{b} - \mathbf{a}$ or $\overrightarrow{BA} = \mathbf{a} - \mathbf{b}$ or correct route for $\overrightarrow{OP}$
11(d)(ii)	$[m =] \frac{7}{3}$ $[k =] \frac{4}{3}$	2	B1 for each value or M1 for $\frac{m}{7}(4\mathbf{a} + 3\mathbf{b}) = \mathbf{b} + k\mathbf{a}$ oe