



CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

0607/61

October/November 2023

1 hour 40 minutes

No additional materials are needed.

- Answer both part **A** (Questions 1 to 5) and part **B** (Questions 6 to 10).
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You should use a graphic display calculator where appropriate.
- You may use tracing paper.
- You must show all necessary working clearly, including sketches, to gain full marks for correct methods.
- In this paper you will be awarded marks for providing full reasons, examples and steps in your working to communicate your mathematics clearly and precisely.

- The total mark for this paper is 60.
- The number of marks for each question or part question is shown in brackets [].

This document has **12** pages.

Answer **both** parts **A** and **B**.

A INVESTIGATION (QUESTIONS 1 to 5)

F-TYPE SEQUENCES (30 marks)

You are advised to spend no more than 50 minutes on this part.

This investigation explores patterns in a special type of sequence of positive integers.

In an *F-type sequence*:

- the first two terms are any two positive integers
- after the first two terms, each term is equal to the sum of the previous two terms.

1 Here is a table of the first nine terms of an F-type sequence.

The first term F_1 is 5.

The second term F_2 is 3.

F_1	F_2	F_3	F_4	F_5	F_6	F_7	F_8	F_9
5	3	8	11	19	30	49	79	128

In the table, $F_1 + F_2 = 5 + 3 = 8 = F_3$

$F_2 + F_3 = 3 + 8 = 11 = F_4$

$F_3 + F_4 = 8 + 11 = 19 = F_5$

and so on.

(a) Calculate the 10th term.

$F_{10} = \dots\dots\dots$ [2]

(b) (i) Complete the table.

F_2	$= 3$	$F_3 - F_1 = 3$
$F_2 + F_4$	$= \dots\dots\dots$	$F_5 - F_1 = 14$
$F_2 + F_4 + F_6$	$= \dots\dots\dots$	$F_7 - F_1 = \dots\dots\dots$
$F_2 + F_4 + F_6 + F_8$	$= 123$	$F_9 - F_1 = \dots\dots\dots$

[2]

(ii) Complete this statement.

$$F_2 + F_4 + F_6 + F_8 + F_{10} = F_{\dots\dots\dots} - F_{\dots\dots\dots}$$

[1]

(c) (i) Complete the table.

F_1	$= 5$	$F_2 + F_1 - F_2 = 5$
$F_1 + F_3$	$= \dots\dots\dots$	$F_4 + F_1 - F_2 = 13$
$F_1 + F_3 + F_5$	$= \dots\dots\dots$	$F_6 + F_1 - F_2 = \dots\dots\dots$
$F_1 + F_3 + F_5 + F_7$	$= 81$	$F_8 + F_1 - F_2 = \dots\dots\dots$

[2]

(ii) Complete this statement.

$$F_1 + F_3 + F_5 + F_7 + F_9 = F_{\dots\dots\dots} + F_{\dots\dots\dots} - F_{\dots\dots\dots}$$

[1]

(d) Use your statements in **part (b)(ii)** and **part (c)(ii)**, and the definition of an F-type sequence, to show that

$$F_1 + F_2 + F_3 + F_4 + F_5 + F_6 + F_7 + F_8 + F_9 + F_{10} = F_{12} - F_2.$$

[2]

(e) Use the statement in **part (d)** to complete this general statement.

$$F_1 + F_2 + F_3 + \dots + F_n = F_{\dots\dots\dots} - F_{\dots\dots\dots}$$

[1]

2 In another F-type sequence the first term is 3 and the second term is 1.

(a) Complete the first five terms.

3, 1,,, [1]

(b) Is your statement in **Question 1(e)** correct for the sum of the first five terms in this sequence?

..... [3]

3 In another F-type sequence the 2nd term is 3 and the 12th term is 652.

(a) Use your answer to **Question 1(e)** to find the sum of the first 10 terms.

..... [2]

(b) The sum of the first 12 terms of this sequence is 1704.

Find the 10th term.

..... [3]

- 4 The Fibonacci sequence is a special F-type sequence.

The sequence starts 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, ...

- (a) Use this information and your answers to **Question 1(c)** to simplify this sum.

$$F_1 + F_3 + F_5 + \cdots + F_{2n-1}$$

..... [1]

- (b) The 16th term in the Fibonacci sequence is 987.

Find the 8 different terms in the Fibonacci sequence that add up to 987.

..... [2]

5 The first four terms of an F-type sequence are a , b , c and d .

(a) There is a relationship between $c^2 - b^2$ and a simple combination of a and d .

Investigate this relationship by making up at least three numerical examples of F-type sequences.
Write down this relationship.

..... [4]

(b) The first term of the F-type sequence is a and the second term is b .

(i) Write c and d in terms of a and b , in their simplest form.

$c =$

$d =$ [1]

(ii) Use algebra to show that the relationship in **part (a)** is correct.

[2]

The modelling task starts on the next page.

B MODELLING (QUESTIONS 6 to 10)**BIOLOGICAL AGE OF GOATS (30 marks)**

You are advised to spend no more than 50 minutes on this part.

This task looks at the age, a , of a goat and its biological age, b , when compared to a human.

A goat's body ages more quickly than a human body.
At birth, a goat's age and its biological age are both 0.

When $a = 0$ then $b = 0$.

- 6** The life expectancy for a human is 73.5 years.
The life expectancy for a goat is 10.5 years, which matches the biological life expectancy of 73.5 years for a human.

When $a = 10.5$ then $b = 73.5$.

- (a)** Find a straight-line model, in its simplest form, for b in terms of a .
This is **Model M**.

..... [3]

- (b)** Sketch the graph of your model.



[2]

- (c)** A goat is 8 years old, so $a = 8$.

Find its biological age, b .

..... [1]

- 7 Goats age more quickly when young.
A goat that is 2 years old has a biological age of 24 years.
So, when $a = 2$, $b = 24$.

(a) Find a straight-line model for b in terms of a for $0 \leq a \leq 2$.

..... [1]

(b) After a goat reaches the age of 2 years, its biological age increases by 4 each year.

(i) Find its biological age, b , when $a = 10$.

..... [2]


(ii) Find a straight-line model for b in terms of a for $a \geq 2$.
Write the model in its simplest form.
This is **Model N**.

..... [3]

(c) Sketch the graphs of your straight-line models in **part (a)** and **part (b)(ii)** on the axes on page 8.

[2]

- 8 The most recent research gives this graph for a model of b in terms of a .



- (a) Use the graph to write down the biological age of a goat that is:

- 2 years old [1]
- 10 years old. [1]

- (b) This model for the biological age is $b = g \log a + h$ where g and h are constants.

- (i) Use your answers to **part (a)** to write down two equations in g and h .

..... [1]

- (ii) Use algebra to find g and h , correct to the nearest integer.
 Write down the model.
 This is **Model P**.

..... [3]

- (c) Find the age, correct to one decimal place, of a goat whose biological age is 70.

..... [3]

- 9 A goat lives until it is 18 years old, which is old for a goat.

For each model calculate the biological age of the goat.

Write down whether each model is valid or not valid for this goat.

Model M in **Question 6(a)**

.....

Model N in **Question 7(b)(ii)**

.....

Model P in **Question 8(b)(ii)**

.....

[4]

Question 10 is printed on the next page.

10 Find the ages between which

biological age from **Model N** < biological age from **Model P** < biological age from **Model M**.

Between and [4]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.