



Cambridge O Level

CHEMISTRY

5070/12

Paper 1 Multiple Choice

May/June 2022

1 hour

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet
Soft clean eraser
Soft pencil (type B or HB is recommended)

INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.


INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has **16** pages.



- 1 A student investigates the rate of reaction between calcium carbonate and hydrochloric acid.



The volume of gas in the syringe is recorded after one minute.

The experiment is repeated using different concentrations of hydrochloric acid.

Which additional pieces of apparatus are essential for the investigation?

- 1 balance
- 2 measuring cylinder
- 3 stop-clock

A 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3

- 2 Which statement is correct?

- A** A mixture of liquids with boiling points which differ by 35 °C can be separated by distillation.
- B** Locating agents are needed to identify the colours present in ink.
- C** The desalination of sea water to produce pure water is achieved by fractional distillation.
- D** The R_f value of a dye in a chromatogram can be calculated using the formula:

$$R_f = \frac{\text{distance moved by solvent}}{\text{distance moved by spot}}$$

3 Some reactions of an aqueous solution of compound X are given.

- When a few drops of aqueous sodium hydroxide are added, a white precipitate is formed.
- When dilute nitric acid is added and the mixture is warmed, a gas is formed. The gas decolourises acidified potassium manganate(VII).
- When dilute nitric acid and aqueous barium nitrate are added, no visible reaction occurs.

What can be deduced about the identity of X?


- A** X contains only aluminium sulfate, $Al_2(SO_4)_3$.
- B** X contains only calcium sulfite, $CaSO_3$.
- C** X must contain aluminium sulfite, $Al_2(SO_3)_3$, or zinc sulfite, $ZnSO_3$.
- D** X must contain aluminium sulfite, $Al_2(SO_3)_3$, calcium sulfite, $CaSO_3$, or zinc sulfite, $ZnSO_3$.

4 Which set of changes to the conditions increases the volume of a gas?

	pressure	temperature
A	decreases	increases
B	increases	decreases
C	increases	unchanged
D	unchanged	decreases

5 Ethylamine gas, $C_2H_5NH_2$, and hydrogen chloride gas, HCl , react together to form a white solid, ethylamine hydrochloride.

At which position in the tube would a ring of solid white ethylamine hydrochloride form?



- 6 Element X can be represented by the symbol ${}^{14}_6\text{X}$.

Which statements about an atom of element X are correct?

- 1 It has 6 electrons.
- 2 It has 8 protons.
- 3 It is an isotope of carbon.
- 4 It is an isotope of nitrogen.

A 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 4

- 7 Two isotopes of chlorine are ${}^{35}\text{Cl}$ and ${}^{37}\text{Cl}$.

Using these isotopes and ${}^{12}\text{C}$ and ${}^1\text{H}$, how many different relative molecular masses are possible for the compound with molecular formula $\text{C}_2\text{H}_3\text{Cl}_3$?

A 2 **B** 3 **C** 4 **D** 5


- 8 Which row is correct?

	elements	compounds	mixtures
A	graphite, iron	methane, water	air, copper
B	graphite, iron	sand, water	air, brass
C	iron, water	methane, graphite	air, brass
D	water, methane	air, graphite	iron, brass

- 9 Which statement about ionic compounds is correct?

- A** They are all solids at room temperature.
- B** They all conduct electricity at room temperature.
- C** They are all soluble in water.
- D** They all have strong intermolecular forces.

- 10 A molecule of tetrafluorosilane, SiF_4 , is shown in the dot-and-cross diagram. Only the outer shell electrons are shown.



Which statement is correct?

- A** Each molecule of SiF_4 has exactly 16 pairs of electrons.
- B** In SiF_4 both the silicon and the fluorine have the same electronic configuration as neon.
- C** Molten SiF_4 will conduct electricity.
- D** SiF_4 has a low melting point.
- 11 The table describes two properties associated with metals.

Which row shows a correct reason for the stated property?

	property	reason
A	malleable	the layers of metal anions can slide over each other
B	malleable	the layers of metal cations can slide over each other
C	conduct electricity	metallic structures contain mobile anions
D	conduct electricity	metallic structures contain mobile cations

- 12 Aqueous silver nitrate, AgNO_3 , reacts with aqueous potassium chromate(VI), K_2CrO_4 , to give a yellow precipitate.

What is the ionic equation for this reaction?

- A** $2\text{AgNO}_3(\text{aq}) + \text{K}_2\text{CrO}_4(\text{aq}) \rightarrow \text{Ag}_2\text{CrO}_4(\text{s}) + 2\text{KNO}_3(\text{aq})$
- B** $2\text{Ag}^+(\text{aq}) + 2\text{NO}_3^-(\text{aq}) + 2\text{K}^+(\text{aq}) + \text{CrO}_4^{2-}(\text{aq}) \rightarrow \text{Ag}_2\text{CrO}_4(\text{s}) + 2\text{NO}_3^-(\text{aq}) + 2\text{K}^+(\text{aq})$
- C** $2\text{Ag}^+(\text{aq}) + \text{CrO}_4^{2-}(\text{aq}) \rightarrow \text{Ag}_2\text{CrO}_4(\text{s})$
- D** $\text{Ag}^+(\text{aq}) + \text{CrO}_4^{2-}(\text{aq}) \rightarrow \text{AgCrO}_4(\text{s})$

13 What is the relative formula mass of anhydrous sodium carbonate?

- A 51 B 83 C 106 D 124

14 What contains the greatest mass of solute?

- A 100 cm³ of 1.00 mol/dm³ sodium hydroxide, NaOH
 B 500 cm³ of 0.05 mol/dm³ sulfuric acid, H₂SO₄
 C 1.00 dm³ of 0.10 mol/dm³ potassium hydroxide, KOH
 D 2.00 dm³ of 0.01 mol/dm³ hydrochloric acid, HCl

15 How many tonnes of aluminium oxide, Al₂O₃, are required to produce 27 tonnes of aluminium?

- A 27 B 51 C 54 D 102

16 Dilute sulfuric acid is electrolysed. Hydrogen gas and oxygen gas are produced.

Which row correctly describes what happens?

	oxygen produced at the	hydrogen produced at the	concentration of acid
A	anode	cathode	decreases
B	anode	cathode	increases
C	cathode	anode	decreases
D	cathode	anode	increases

17 Aluminium can be extracted by the electrolysis of aluminium oxide dissolved in molten cryolite.

Which reactions take place during the electrolysis?

	reaction at the anode	reaction at the cathode
A	$Al^{+} + e^{-} \rightarrow Al$	$O^{2-} + 2e^{-} \rightarrow O$
B	$Al^{3+} + 3e^{-} \rightarrow Al$	$2O^{2-} + 4e^{-} \rightarrow O_2$
C	$O^{2-} - 2e^{-} \rightarrow O$	$3Al^{+} + 3e^{-} \rightarrow 3Al$
D	$2O^{2-} - 4e^{-} \rightarrow O_2$	$Al^{3+} + 3e^{-} \rightarrow Al$


18 Which reaction is exothermic?

- A combustion of methane
 B cracking of hydrocarbons
 C decomposition of water into hydrogen and oxygen by electrolysis
 D photosynthesis in plants

19 What is the correct balanced equation and enthalpy change, ΔH , for the complete combustion of butanol, C_4H_9OH ?

- A $C_4H_9OH(l) + 5O_2(g) \rightarrow 4CO_2(g) + 5H_2O(g)$ $\Delta H = -2676 \text{ kJ/mol}$
 B $C_4H_9OH(l) + 5O_2(g) \rightarrow 4CO_2(g) + 5H_2O(g)$ $\Delta H = +2676 \text{ kJ/mol}$
 C $C_4H_9OH(l) + 6O_2(g) \rightarrow 4CO_2(g) + 5H_2O(g)$ $\Delta H = -2676 \text{ kJ/mol}$
 D $C_4H_9OH(l) + 6O_2(g) \rightarrow 4CO_2(g) + 5H_2O(g)$ $\Delta H = +2676 \text{ kJ/mol}$

20 Bromate, bromide and hydrogen ions react according to the equation shown.




Some apparatus for measuring how the rate of this reaction varies over time is suggested.

- 1 gas syringe
- 2 balance
- 3 pH meter

Which apparatus is suitable to measure the rate of this reaction?

- A 1 and 2 B 1 only C 2 and 3 D 3 only


21 25 cm^3 of 1.0 mol/dm^3 hydrochloric acid reacts with 10 g of a solid to produce a gas. The solid is in excess. The graph labelled first experiment shows the volume of gas produced over time. Graphs P and Q show the volume of gas produced under different conditions.




Which changes in conditions produce graphs P and Q, if all other conditions are kept the same?

- A P uses a catalyst and Q has a lower temperature.
 B P uses 25 cm^3 of more concentrated acid and Q uses smaller pieces of solid.
 C P uses a higher temperature and Q uses 25 cm^3 of more dilute acid.
 D P uses smaller pieces of solid and Q uses larger pieces of solid.

- 22** Nitrogen dioxide, NO_2 , is a dark brown gas that decomposes as shown in the equation.



The diagram shows a glass flask containing a mixture of the three gases. The mixture is pale brown.



More oxygen is forced into the flask.


Which colour change is seen in the mixture?

- A** It becomes a darker brown.
- B** It becomes a paler brown.
- C** It turns colourless.
- D** There is no change.
- 23** What is an observation of an oxidation process?
- A** blue copper sulfate crystals turning to white powder when heated
- B** copper being deposited on the cathode during electrolysis
- C** green gas being produced at the anode when sodium chloride is electrolysed
- D** white precipitate forming when aqueous silver ions react with aqueous chloride ions
- 24** An excess of aqueous iodide ions is added to acidified aqueous potassium manganate(VII).

Which row is correct?

	iodide ions	colour of final solution
A	oxidised	colourless
B	oxidised	brown
C	reduced	colourless
D	reduced	brown

25 When ammonia gas is dissolved in water a reversible reaction takes place.



Which statements are correct?

- 1 Ammonia is an alkali because it produces hydroxide ions in solution.
- 2 The pH of this solution is 7.
- 3 Adding hydroxide ions to the mixture at equilibrium produces more ammonia.

A 1, 2 and 3 **B** 1 and 3 only **C** 1 only **D** 2 and 3 only

26 Three dilute solutions of acid, each with a concentration of 0.01 mol/dm^3 , are reacted separately with excess calcium carbonate until there is no further reaction. The same volume of acid is used each time.

The carbon dioxide produced is collected and its volume measured. All measurements are at room temperature and pressure.

acid	pH	volume of carbon dioxide formed / cm^3
1	2.0	20
2	1.7	40
3	3.4	20

What are the possible identities of the acids?

	acid 1	acid 2	acid 3
A	hydrochloric	sulfuric	ethanoic
B	hydrochloric	nitric	ethanoic
C	nitric	sulfuric	hydrochloric
D	sulfuric	hydrochloric	nitric

27 The steps for the preparation of a pure sample of sodium nitrate are listed.

- 1 Titrate with dilute nitric acid until the end-point is seen.
- 2 Evaporate to concentrate the solution.
- 3 Rinse out the conical flask.
- 4 Add indicator.
- 5 Pipette a known volume of aqueous sodium hydroxide into a conical flask.
- 6 Cool and filter to remove crystals.
- 7 Repeat using the same volumes of aqueous sodium hydroxide and dilute nitric acid but no indicator.

Which order of steps is correct?


- A** 1 → 7 → 5 → 4 → 2 → 6 → 3
- B** 3 → 5 → 7 → 1 → 2 → 4 → 6
- C** 4 → 1 → 3 → 5 → 2 → 6 → 7
- D** 5 → 4 → 1 → 3 → 7 → 2 → 6

28 A white compound is insoluble in water.

Which cations and anions could be present in the compound?

	sodium	calcium	carbonate	nitrate	
A	✓	✓	x	✓	key ✓ = present x = absent
B	✓	x	✓	x	
C	x	✓	✓	x	
D	x	✓	✓	✓	

29 The flow chart describes the preparation of ammonium sulfate.



What are elements 1–4?

	1	2	3	4
A	nitrogen	oxygen	hydrogen	sulfur
B	nitrogen	oxygen	hydrogen	oxygen
C	oxygen	nitrogen	hydrogen	sulfur
D	oxygen	nitrogen	sulfur	hydrogen

30 Which row correctly shows the possible uses of sulfur dioxide and sulfuric acid?

	sulfur dioxide	sulfuric acid
A	as a bleach	as battery acid
B	killing bacteria in food	as a bleach
C	making detergents	as battery acid
D	making fertilisers	making fertilisers

31 Selenium is in Group VI and gallium is in Group III.


Which prediction can be made from this information?

- A** A gallium atom has three more protons than a selenium atom.
- B** Gallium is more likely to form negative ions than selenium.
- C** Selenium atoms have fewer valence electrons than gallium atoms.
- D** Selenium has more non-metallic character than gallium.


32 Which statement about some metals and their compounds is correct?

- A Calcium reacts with cold water but not with steam.
- B Lead carbonate decomposes at a higher temperature than zinc carbonate.
- C Magnesium can be extracted from its oxide by heating strongly with carbon.
- D Pure aluminium reacts with cold, dilute hydrochloric acid.

33 The diagram shows an experiment to determine the percentage of oxygen in air.



Which diagram shows the correct level of water after the candle stops burning?




34 The addition reaction between a hydrocarbon X and bromine forms only one product.

Which compound is X?

- A CH_4
- B C_2H_4
- C C_2H_6
- D CH_3OH


- 35** A series of reactions producing propanol from the naphtha fraction of petroleum (crude oil) is shown.



What are processes X and Y?

	X	Y
A	cracking	reaction with steam
B	cracking	fermentation
C	fractional distillation	reaction with steam
D	fractional distillation	fermentation

- 36** The structures of four alcohols are shown.



Which statement is correct?

- A** Alcohol 1 can be made by the addition of steam to an alkene.
- B** Alcohol 2 can be made from glucose.
- C** Alcohol 3 is a renewable energy source.
- D** Alcohol 4 has only one other isomer.

- 37** Which compounds have the molecular formula $\text{C}_3\text{H}_6\text{O}_2$?

- 1 methyl ethanoate
- 2 ethyl methanoate
- 3 propanoic acid

- A** 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3

38 An organic compound has the empirical formula CH_2O .


Which row shows a possible correct name and structure for this compound?

	name	structure
A	methanol	$\begin{array}{c} \text{O} \\ \parallel \\ \text{H}-\text{C}-\text{H} \end{array}$
B	methanoic acid	$\begin{array}{c} \text{O} \\ \parallel \\ \text{H}-\text{C} \\ \diagdown \\ \text{O}-\text{H} \end{array}$
C	ethanol	$\begin{array}{c} \text{H} \quad \text{O} \\ \quad \parallel \\ \text{H}-\text{C}-\text{C}-\text{O}-\text{H} \\ \\ \text{H} \end{array}$
D	ethanoic acid	$\begin{array}{c} \text{H} \quad \text{O} \\ \quad \parallel \\ \text{H}-\text{C}-\text{C}-\text{O}-\text{H} \\ \\ \text{H} \end{array}$


39 Which statement is correct?

- A** Complex carbohydrates, such as starch, are hydrolysed to give simple sugars.
- B** Fats have the same amide linkages as *Terylene*.
- C** Proteins and nylon are polymers formed from the same monomers but with different linkages.
- D** Proteins are natural polymers and are also called polysaccharides.

40 The repeat unit of a polymer is shown.



Which monomer would produce this polymer?



Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

Group																		
I	II											III	IV	V	VI	VII	VIII	
1Hhydrogen1 Key atomic number atomic symbol name relative atomic mass																		
3Li lithium 7	4Be beryllium 9																	
11Na sodium 23	12Mg magnesium 24	13Al aluminium 27	14Si silicon 28	15P phosphorus 31	16S sulfur 32	17Cl chlorine 35.5	18Ar argon 40											
19K potassium 39	20Ca calcium 40	21Sc scandium 45	22Ti titanium 48	23V vanadium 51	24Cr chromium 52	25Mn manganese 55	26Fe iron 56	27Co cobalt 59	28Ni nickel 59	29Cu copper 64	30Zn zinc 65	31Ga gallium 70	32Ge germanium 73	33As arsenic 75	34Se selenium 79	35Br bromine 80	36Kr krypton 84	
37Rb rubidium 85	38Sr strontium 88	39Y yttrium 89	40Zr zirconium 91	41Nb niobium 93	42Mo molybdenum 96	43Tc technetium —	44Ru ruthenium 101	45Rh rhodium 103	46Pd palladium 106	47Ag silver 108	48Cd cadmium 112	49In indium 115	50Sn tin 119	51Sb antimony 122	52Te tellurium 128	53I iodine 127	54Xe xenon 131	
55Cs caesium 133	56Ba barium 137	57–71 lanthanoids		72Hf hafnium 178	73Ta tantalum 181	74W tungsten 184	75Re rhenium 186	76Os osmium 190	77Ir iridium 192	78Pt platinum 195	79Au gold 197	80Hg mercury 201	81Tl thallium 204	82Pb lead 207	83Bi bismuth 209	84Po polonium —	85At astatine —	86Rn radon —
87Fr francium —	88Ra radium —	89–103 actinoids	104Rf rutherfordium —	105Db dubnium —	106Sg seaborgium —	107Bh bohrium —	108Hs hassium —	109Mt meitnerium —	110Ds darmstadtium —	111Rg roentgenium —	112Cn copernicium —							

lanthanoids	57 La lanthanum 139	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium —	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169	70 Yb ytterbium 173	71 Lu lutetium 175
actinoids	89 Ac actinium —	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium —	94 Pu plutonium —	95 Am americium —	96 Cm curium —	97 Bk berkelium —	98 Cf californium —	99 Es einsteinium —	100 Fm fermium —	101 Md mendelevium —	102 No nobelium —	103 Lr lawrencium —

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).