



Cambridge International AS & A Level

CANDIDATE
NAME
CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

FURTHER MATHEMATICS

9231/33

Paper 3 Further Mechanics

May/June 2024

1 hour 30 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)


INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.
- Where a numerical value for the acceleration due to gravity (g) is needed, use 10 ms^{-2} .

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].

This document has **16** pages. Any blank pages are indicated.



Two smooth uniform spheres A and B of equal radii have masses m and $2m$ respectively. The two spheres are moving on a smooth horizontal surface when they collide with speeds u and $\frac{1}{2}u$ respectively. Immediately before the collision, A 's direction of motion is along the line of centres, and B 's direction of motion makes an angle θ with the line of centres (see diagram).

As a result of the collision, the direction of motion of A is reversed and its speed is reduced to $\frac{1}{4}u$. The direction of motion of B again makes an angle θ with the line of centres, but on the opposite side of the line of centres. The speed of B is unchanged.

Find the value of the coefficient of restitution between the spheres.

[4]

This image shows a full page of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.



- Particle P moves in a horizontal circle on the surface of the table with constant speed $\sqrt{\frac{1}{2}ga}$. Particle Q hangs in equilibrium vertically below the hole with $HQ = \frac{1}{4}a$.


-
- This image shows a full page of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.

-
-
-
-



[2]

[illegible]



A light spring of natural length a and modulus of elasticity kmg is attached to a fixed point O on a smooth plane inclined to the horizontal at an angle θ , where $\sin \theta = \frac{3}{4}$. A particle of mass m is attached to the lower end of the spring and is held at the point A on the plane, where $OA = 2a$ and OA is along a line of greatest slope of the plane (see diagram).

The particle is released from rest and is moving with speed V when it passes through the point B on the plane, where $OB = \frac{3}{2}a$. The speed of the particle is $\frac{1}{2}V$ when it passes through the point C on the plane, where $OC = \frac{3}{4}a$.

Find the value of k .


[7]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]



5



A uniform lamina is in the form of a triangle OBC , with $OC = 18a$, $OB = 24a$ and angle $COB = 90^\circ$. The point A on OB is such that $OA = x$ (see diagram). The triangle OAC is removed from the lamina.

- (a) Find, in terms of a and x , the distance of the centre of mass of the remaining object ABC from OC . [3]

[illegible]



11

[4]

[illegible]

-
- This image shows a full page of white paper with horizontal dashed lines, typical of primary school writing paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



11

[5]

This image shows a full page of a handwriting practice worksheet. It consists of multiple sets of three horizontal dotted lines, providing a guide for letter height and placement. The lines are evenly spaced across the entire page, leaving ample room for writing practice. There is no text or other markings on the page.

- [6]

[illegible]



(b) Find an expression for x in terms of t .

[3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) Find the distance that the parachutist has fallen, since opening his parachute, when his speed is 15 m s^{-1} . [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



If you use the following page to complete the answer to any question, the question number must be clearly shown.

[illegible]

* 0019655479115 *



15

BLANK PAGE



DO NOT WRITE IN THIS MARGIN





Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

