



CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

9231/33

October/November 2022

1 hour 30 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.
- Where a numerical value for the acceleration due to gravity (g) is needed, use 10 ms^{-2} .

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].

This document has **16** pages. Any blank pages are indicated.

- 1** A particle of mass 2 kg is attached to one end of a light inextensible string of length 0.6 m . The other end of the string is attached to a fixed point on a smooth horizontal surface. The particle is moving in a circular path on the surface. The tension in the string is 20 N .

Find how many revolutions the particle makes per minute.

[3]

This image shows a full page of a worksheet designed for handwriting practice. It consists of approximately 20 horizontal rows. Each row is defined by two parallel dotted lines, creating a series of uniform gaps for writing. The entire page is otherwise blank, with no text or other markings.

- 2 A light elastic string has natural length a and modulus of elasticity $4mg$. One end of the string is fixed to a point O on a smooth horizontal surface. A particle P of mass m is attached to the other end of the string. The particle P is projected along the surface in the direction OP . When the length of the string is $\frac{5}{4}a$, the speed of P is v . When the length of the string is $\frac{3}{2}a$, the speed of P is $\frac{1}{2}v$.

- (a) Find an expression for v in terms of a and g . [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (b) Find, in terms of g , the acceleration of P when the stretched length of the string is $\frac{3}{2}a$. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

.....

.....



(a) Show that $N = \frac{8}{15} W(1 + 2k)$. [2]

- (a) Show that $N = \frac{8}{15} W(1 + 2k)$. [2]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[Turn over

- 4 A particle of mass 0.5 kg moves along a horizontal straight line. Its velocity is $v \text{ m s}^{-1}$ at time $t \text{ s}$. The forces acting on the particle are a driving force of magnitude 50 N and a resistance of magnitude $2v^2 \text{ N}$. The initial velocity of the particle is 3 m s^{-1} .

(a) Find an expression for v in terms of t .

[7]

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.

(b) Deduce the limiting value of v .

[1]

- 5 A particle P of mass m is attached to one end of a light inextensible string of length a . The other end of the string is attached to a fixed point O . The string is held taut with OP horizontal. The particle P is projected vertically downwards with speed $\sqrt{\frac{1}{3}ag}$ and starts to move in a vertical circle. P passes through the lowest point of the circle and reaches the point Q where OQ makes an angle θ with the downward vertical. At Q the speed of P is $\sqrt{kag}$ and the tension in the string is $\frac{11}{6}mg$.

(a) Find the value of k and the value of $\cos \theta$.


[4]

[illegible]

At Q the particle P becomes detached from the string.

- (b)** In the subsequent motion, find the greatest height reached by P above the level of the lowest point of the circle. [4]

[illegible]



(a) Find the value of k . [4]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[4]

[illegible]

- 7 A particle P is projected with speed $V \text{ m s}^{-1}$ at an angle 75° above the horizontal from a point O on a horizontal plane. It then moves freely under gravity.

(a) Show that the total time of flight, in seconds, is $\frac{2V}{g} \sin 75^\circ$. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

A smooth vertical barrier is now inserted with its lower end on the plane at a distance 15 m from O . The particle is projected as before but now strikes the barrier, rebounds and returns to O . The coefficient of restitution between the barrier and the particle is $\frac{3}{5}$.

(b) Explain why the total time of flight is unchanged. [1]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (c) Find an expression for V in terms of g .

[7]

[illegible]

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting or typing. There are no margins, text, or other markings on the page.

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.