



Cambridge International AS & A Level

CANDIDATE
NAMECENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

CHEMISTRY

9701/33

Paper 3 Advanced Practical Skills 1

February/March 2026

2 hours

You must answer on the question paper.

You will need: The materials and apparatus listed in the confidential instructions

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen. Do **not** use correction fluid or tape.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 40.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.
- Important values, constants and standards are printed in the question paper.
- Notes for use in qualitative analysis are provided in the question paper.

Session

Laboratory

For Examiner's Use

1	
2	
3	
Total	

This document has **16** pages. Any blank pages are indicated.


Quantitative analysis

Read through the whole method before starting any practical work. Where appropriate, prepare a table for your results in the space provided.

Show the precision of the apparatus you used in the data you record.

Show your working and appropriate significant figures in the answer to **each** step of your calculations.

- 1 In this experiment you will determine the enthalpy change, ΔH_r , for the hydration reaction of anhydrous sodium carbonate with water.




You will react anhydrous sodium carbonate and hydrated sodium carbonate separately with excess dilute hydrochloric acid. You will determine the enthalpy changes for each reaction. You will use Hess's Law to calculate the enthalpy change, ΔH_r .

(a) Reaction of hydrated sodium carbonate with excess hydrochloric acid

FA 1 is hydrated sodium carbonate, $\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$.

FA 2 is 3.00 mol dm^{-3} hydrochloric acid, HCl .



Method

- Support a cup in the 250 cm^3 beaker.
- Use the measuring cylinder to transfer 25.0 cm^3 of **FA 2** into the cup.
- Place the thermometer into **FA 2** and tilt the cup, if necessary, so that the bulb is fully covered.
- Measure the temperature of the solution in the cup. Record this temperature.
- Weigh the container with **FA 1**. Record the mass.
- Transfer small quantities of **FA 1** into the cup containing **FA 2** until all the **FA 1** is added.
- Stir the mixture. Measure the minimum temperature reached. Record this value.
- Calculate and record the temperature change.
- Weigh the container with any residual **FA 1**. Record the mass.
- Calculate and record the mass of **FA 1** used.

Results

I	
II	
III	
IV	

[4]



(b) Calculation

- (i) Calculate the energy change, in J, in your experiment.

energy change = J [1]

- (ii) Calculate the amount, in mol, of the hydrated sodium carbonate, the limiting reagent in your experiment.

amount of limiting reagent = mol [1]

- (iii) Calculate the enthalpy change, ΔH_1 , in kJ mol^{-1} , for the reaction of hydrated sodium carbonate with HCl(aq) .
Show your working.

$\Delta H_1 = \underset{\text{sign}}{\text{.....}} \underset{\text{value}}{\text{.....}} \text{ kJ mol}^{-1}$ [1]

(c) Reaction of anhydrous sodium carbonate with excess hydrochloric acid

FA 2 is 3.00 mol dm^{-3} hydrochloric acid, HCl .

FA 3 is anhydrous sodium carbonate, Na_2CO_3 .

**(i) Method**

- Support the second cup in the 250 cm^3 beaker.
- Use the measuring cylinder to transfer 30.0 cm^3 of **FA 2** into the cup.
- Measure the temperature of the solution in the cup. Record this temperature.
- Weigh the container with **FA 3**. Record the mass.
- Adding small quantities at a time, transfer all the **FA 3** into the cup containing **FA 2**.
- Stir the mixture. Measure the maximum temperature reached. Record this value.
- Calculate and record the temperature change.
- Weigh the container with any residual **FA 3**. Record the mass.
- Calculate and record the mass of **FA 3** used.

Results

I	
II	

[2]


(ii) Calculation

Use your data to calculate the enthalpy change for the reaction of anhydrous sodium carbonate with hydrochloric acid, ΔH_2 , in kJ mol^{-1} .
Show your working.

$$\Delta H_2 = \begin{array}{c} \text{.....} \\ \text{sign} \end{array} \begin{array}{c} \text{.....} \\ \text{value} \end{array} \text{ kJ mol}^{-1} \quad [2]$$



- (d) Use your answers to **1(b)(iii)** and **1(c)(ii)** to calculate the enthalpy change, ΔH_r , for the hydration reaction of anhydrous sodium carbonate with water.



$$\Delta H_r = \begin{array}{cc} \text{.....} & \text{.....} \\ \text{sign} & \text{value} \end{array} \text{ kJ mol}^{-1} \quad [1]$$

- (e) A student suggests that the experiment in **(c)** will be more accurate if 30.0 cm^3 of 3.00 mol dm^{-3} sulfuric acid is used instead of 30.0 cm^3 of 3.00 mol dm^{-3} hydrochloric acid. All other conditions and apparatus are unchanged.

State whether the student's suggestion is correct.

Explain your answer.

.....

.....

.....

..... [1]

[Total: 13]



- 2 **X** is a mixture of anhydrous sodium carbonate, Na_2CO_3 , and anhydrous potassium carbonate, K_2CO_3 . The percentage by mass of the anhydrous sodium carbonate present in **X** can be determined by titration.

FA 4 is a solution containing 5.85 g dm^{-3} of **X**.

FA 5 is $0.110 \text{ mol dm}^{-3}$ hydrochloric acid, HCl .

FA 6 is bromophenol blue indicator.

(a) **Method**

- Pipette 25.0 cm^3 of **FA 4** into a conical flask.
- Fill the burette with **FA 5**.
- Add a few drops of **FA 6** into the conical flask with **FA 4**.
- Carry out a rough titration. Record your burette readings in the space below.

The rough titre is cm^3 .

- Carry out as many accurate titrations as you think necessary to obtain consistent results.
- Make sure any recorded results show the precision of your practical work.
- Record, in a suitable form in the space provided, all your burette readings and the volume of **FA 5** added in each accurate titration.

I	
II	
III	
IV	
V	
VI	
VII	

[7]

- (b) From your accurate titration results, calculate a suitable mean value to use in your calculations.
Show clearly how you obtain the mean value.

25.0 cm^3 of **FA 4** required cm^3 of **FA 5**. [1]




(c) Calculations

- (i) Give your answers to **2(c)(ii)**, **2(c)(iii)**, **2(c)(iv)** and **2(c)(v)** to the appropriate number of significant figures. [1]
- (ii) Calculate the amount, in mol, of hydrochloric acid present in the volume of **FA 5** calculated in **2(b)**.

amount of HCl = mol [1]

- (iii) Use the ionic equation given to calculate the total amount, in mol, of metal carbonate present in 1.00 dm^3 of **FA 4**.



total amount of metal carbonate = mol [1]

- (iv) Use your answer to **2(c)(iii)** and the information given about **FA 4** to calculate the average M_r of the carbonates present in mixture **X**.

average M_r of the carbonates = [1]

- (v) Calculate the percentage by mass of anhydrous sodium carbonate in **X**.

percentage by mass of Na_2CO_3 = % [1]

[Total: 13]



Qualitative analysis

For each test you should record all your observations in the spaces provided.

Examples of observations include:

- colour changes seen
- the formation of any precipitate and its solubility (where appropriate) in an excess of the reagent added
- the formation of any gas and its identification (where appropriate) by a suitable test.

You should record clearly at what stage in a test an observation is made.

Where no change is observed, you should write 'no change'.

Where reagents are selected for use in a test, the name or correct formula of the element or compound must be given.

If any solution is warmed, a boiling tube must be used. If a solid is heated, a hard-glass test-tube must be used.

Rinse and reuse test-tubes and boiling tubes where possible.

No additional tests should be attempted.

3 (a) FA 7 is an anhydrous salt containing one cation and one anion, both of which are listed in the Qualitative analysis notes.

- (i) Heat a **small** spatula measure of **FA 7** in a hard-glass test-tube.
Record **all** your observations.

.....

.....

.....

..... [2]

- (ii) Add a small quantity of **FA 7** to a 1 cm depth of dilute sulfuric acid in a test-tube.
Record your observations.

.....

.....

.....

..... [2]



(b) **FA 8** is an aqueous solution of **FA 7**.

FA 9 is an aqueous solution containing one cation and one anion. The two ions are different from the ions present in **FA 8**.

(i) Carry out the following tests on **FA 8** and **FA 9**.

Use a 1 cm depth of **FA 8** or **FA 9** in a test-tube or boiling tube, unless stated otherwise. Record your observations in Table 3.1.

Table 3.1

test	observations	
	FA 8	FA 9
Test 1 Add aqueous barium nitrate or barium chloride, then ----- add dilute nitric acid or dilute hydrochloric acid.		
Test 2 Add a few drops of aqueous silver nitrate, leave to stand, then ----- add dilute nitric acid.		
Test 3 Add an equal volume of FA 9 in a boiling tube, then ----- warm the mixture carefully.		
Test 4 To a 1 cm depth of aqueous zinc sulfate in a test-tube, add FA 8 dropwise. Repeat with FA 9 .		
Test 5 Test with red and blue litmus papers.		

[7]



- (ii) Give the formulas of the ions present in **FA 8** and **FA 9** in Table 3.2.

If you are unable to identify an ion, write 'unknown'.

Table 3.2

compound	cation	anion
FA 8		
FA 9		

[2]

- (iii) Give the equation for the thermal decomposition of **FA 7** in 3(a)(i).
Include state symbols.

..... [1]

[Total: 14]







Qualitative analysis notes

Reactions of cations

cation	reaction with	
	NaOH(aq)	NH ₃ (aq)
aluminium, Al ³⁺ (aq)	white ppt. soluble in excess	white ppt. insoluble in excess
ammonium, NH ₄ ⁺ (aq)	no ppt. ammonia produced on warming	–
barium, Ba ²⁺ (aq)	faint white ppt. is observed unless [Ba ²⁺ (aq)] is very low	no ppt.
calcium, Ca ²⁺ (aq)	white ppt. unless [Ca ²⁺ (aq)] is very low	no ppt.
chromium(III), Cr ³⁺ (aq)	grey-green ppt. soluble in excess giving dark green solution	grey-green ppt. insoluble in excess
copper(II), Cu ²⁺ (aq)	pale blue ppt. insoluble in excess	pale blue ppt. soluble in excess giving dark blue solution
iron(II), Fe ²⁺ (aq)	green ppt. turning brown on contact with air insoluble in excess	green ppt. turning brown on contact with air insoluble in excess
iron(III), Fe ³⁺ (aq)	red-brown ppt. insoluble in excess	red-brown ppt. insoluble in excess
magnesium, Mg ²⁺ (aq)	white ppt. insoluble in excess	white ppt. insoluble in excess
manganese(II), Mn ²⁺ (aq)	off-white ppt. rapidly turning brown on contact with air insoluble in excess	off-white ppt. rapidly turning brown on contact with air insoluble in excess
zinc, Zn ²⁺ (aq)	white ppt. soluble in excess	white ppt. soluble in excess

Reactions of anions

anion	reaction
carbonate, CO ₃ ²⁻	CO ₂ liberated by dilute acids
chloride, Cl ⁻ (aq)	gives white ppt. with Ag ⁺ (aq) (soluble in NH ₃ (aq))
bromide, Br ⁻ (aq)	gives cream/off-white ppt. with Ag ⁺ (aq) (partially soluble in NH ₃ (aq))
iodide, I ⁻ (aq)	gives pale yellow ppt. with Ag ⁺ (aq) (insoluble in NH ₃ (aq))
nitrate, NO ₃ ⁻ (aq)	NH ₃ liberated on heating with OH ⁻ (aq) and Al foil
nitrite, NO ₂ ⁻ (aq)	NH ₃ liberated on heating with OH ⁻ (aq) and Al foil; decolourises acidified aqueous KMnO ₄
sulfate, SO ₄ ²⁻ (aq)	gives white ppt. with Ba ²⁺ (aq) (insoluble in excess dilute strong acids); gives white ppt. with high [Ca ²⁺ (aq)]
sulfite, SO ₃ ²⁻ (aq)	gives white ppt. with Ba ²⁺ (aq) (soluble in excess dilute strong acids); decolourises acidified aqueous KMnO ₄
thiosulfate, S ₂ O ₃ ²⁻ (aq)	gives off-white/pale yellow ppt. slowly with H ⁺





Tests for gases

gas	test and test result
ammonia, NH_3	turns damp red litmus paper blue
carbon dioxide, CO_2	gives a white ppt. with limewater
hydrogen, H_2	'pops' with a lighted splint
oxygen, O_2	relights a glowing splint

Tests for elements

element	test and test result
iodine, I_2	gives blue-black colour on addition of starch solution

Important values, constants and standards

molar gas constant	$R = 8.31 \text{ J K}^{-1} \text{ mol}^{-1}$
Faraday constant	$F = 9.65 \times 10^4 \text{ C mol}^{-1}$
Avogadro constant	$L = 6.022 \times 10^{23} \text{ mol}^{-1}$
electronic charge	$e = -1.60 \times 10^{-19} \text{ C}$
molar volume of gas	$V_m = 22.4 \text{ dm}^3 \text{ mol}^{-1}$ at s.t.p. (101 kPa and 273 K) $V_m = 24.0 \text{ dm}^3 \text{ mol}^{-1}$ at room conditions
ionic product of water	$K_w = 1.00 \times 10^{-14} \text{ mol}^2 \text{ dm}^{-6}$ (at 298 K (25 °C))
specific heat capacity of water	$c = 4.18 \text{ kJ kg}^{-1} \text{ K}^{-1}$ (4.18 $\text{J g}^{-1} \text{ K}^{-1}$)





Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (Cambridge University Press & Assessment) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in our Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge International Education is the name of our awarding body and a part of Cambridge University Press & Assessment, which is a department of the University of Cambridge.



The Periodic Table of Elements

Group																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
1	2	1 H hydrogen 1.0														13	14	15	16	17	18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Key																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		atomic number atomic symbol name relative atomic mass																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
3	Li lithium 6.9	4	Be beryllium 9.0															5	6	7	8	9	10	11	12	13	14	15	16	17	18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
11	Na sodium 23.0	12	Mg magnesium 24.3															13	14	15	16	17	18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
																		19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57–71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89–103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000

lanthanoids

57La lanthanum 138.9	58Ce cerium 140.1	59Pr praseodymium 140.9	60Nd neodymium 144.2	61Pm promethium —	62Sm samarium 150.4	63Eu europium 152.0	64Gd gadolinium 157.3	65Tb terbium 158.9	66Dy dysprosium 162.5	67Ho holmium 164.9	68Er erbium 167.3	69Tm thulium 168.9	70Yb ytterbium 173.1	71Lu lutetium 175.0
89Ac actinium —	90Th thorium 232.0	91Pa protactinium 231.0	92U uranium 238.0	93Np neptunium —	94Pu plutonium —	95Am americium —	96Cm curium —	97Bk berkelium —	98Cf californium —	99Es einsteinium —	100Fm fermium —	101Md mendelevium —	102No nobelium —	103Lr lawrencium —

actinoids