



CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

9701/53

May/June 2023

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

- The total mark for this paper is 30.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.
- Important values, constants and standards are printed in the question paper.

This document has **16** pages. Any blank pages are indicated.

- 1** The partition coefficient, K_{pc} , shows the distribution of a solute between two immiscible solvents. K_{pc} is determined by measuring the concentration of the solute in each solvent.

The organic solvent ethoxyethane, $\text{CH}_3\text{CH}_2\text{OCH}_2\text{CH}_3$, and water are immiscible. A student is asked to find K_{pc} of butanedioic acid, $\text{HOOCCH}_2\text{CH}_2\text{COOH}$, between ethoxyethane and water.

The expression for K_{pc} when butanedioic acid is in equilibrium between ethoxyethane and water is shown.

$$K_{pc} = \frac{[\text{HOOCCH}_2\text{CH}_2\text{COOH}(\text{ethoxyethane})]}{[\text{HOOCCH}_2\text{CH}_2\text{COOH}(\text{aq})]}$$

[density: ethoxyethane, 0.71 g cm^{-3} ; water, 1.00 g cm^{-3}]

The student uses the following method to find the partition coefficient. A diagram of the apparatus is shown in Fig. 1.1.

- step 1** Add 30.0 cm^3 of distilled water to a separating funnel.
- step 2** Weigh by difference 2.81 g of butanedioic acid into the separating funnel.
- step 3** Stopper the separating funnel and shake it until the butanedioic acid has dissolved.
- step 4** Remove the stopper and add 30.0 cm^3 of ethoxyethane to the separating funnel.
- step 5** Replace the stopper and shake the separating funnel gently.
- step 6** Place the separating funnel into a clamp. Allow the liquids to settle so that the two layers can be seen.
- step 7** Remove the stopper and open the separating funnel tap to allow the lower layer to run into a beaker labelled **A**. Run the upper layer into a beaker labelled **B**.
- step 8** Transfer 10.0 cm^3 of the aqueous layer into a conical flask. Titrate with $0.500 \text{ mol dm}^{-3}$ $\text{NaOH}(\text{aq})$. Use thymolphthalein as the indicator.
- step 9** Take 10.0 cm^3 of the ethoxyethane layer and add 10.0 cm^3 of water to it. Titrate this mixture with $0.100 \text{ mol dm}^{-3}$ $\text{NaOH}(\text{aq})$. Use thymolphthalein as the indicator.




Fig. 1.1

- (a) (i) State whether beaker **A** in step 7 contains the aqueous layer or the ethoxyethane layer.

Explain your answer.

Beaker **A** contains the layer.

explanation

..... [1]

- (ii) Identify the piece of apparatus that should be used in step 8 to transfer 10.0 cm^3 of the aqueous layer.

..... [1]

- (iii) Suggest why water is added to the ethoxyethane layer in step 9 before the titration can take place.

.....

..... [1]

- (b) For a 2.81 g sample of butanedioic acid, the titre for the aqueous layer is 27.25 cm^3 and the titre for the ethoxyethane layer is 22.50 cm^3 .

The equation for the reaction between butanedioic acid and sodium hydroxide is shown.



- (i) Calculate the concentration of butanedioic acid in the aqueous layer.

concentration of butanedioic acid = mol dm^{-3} [1]

- (ii) Calculate the partition coefficient, K_{pc} .

$K_{\text{pc}} = \dots\dots\dots$ [2]

- (iii) Explain why the student is only able to repeat the titration in step 8 once.

.....
.....
..... [1]

- (iv) Suggest how you would modify the procedure to ensure the student can repeat the titration in step 8 more than once.

.....
..... [1]

- (v) A different student forgets to shake the separating funnel in step 5.

Describe the effect this would have on the calculated K_{pc} value. Explain your answer.

effect on K_{pc}

explanation

.....
[1]

[Total: 9]

- 2 Paper chromatography can be used to separate the individual amino acids formed when tripeptides are hydrolysed.

One molecule of a tripeptide produces three amino acid molecules when hydrolysed.

A student is asked to identify the amino acids formed from the hydrolysis of three different tripeptides, **A**, **B** and **C**, using paper chromatography.

Fig. 2.1 shows the results of the student's chromatography experiment.




Fig. 2.1

The individual amino acids can be identified from their R_f values.

$$R_f = \frac{\text{distance travelled by the amino acid spot}}{\text{distance travelled by the solvent front}}$$

- (a) Suggest why each sample is applied to the chromatography paper using a thin capillary tube rather than a dropping pipette.

.....
 [1]

- (b) Suggest why it is necessary to spray a developing agent over the chromatography paper before the chromatogram can be analysed.

.....
 [1]

- (c) Table 2.1 shows R_f values for some amino acids in the solvent used in Fig. 2.1.

Table 2.1

amino acid	R_f value
lysine	0.14
glycine	0.26
serine	0.27
glutamic acid	0.30
alanine	0.38
proline	0.43
tryptophan	0.50
valine	0.60
leucine	0.73

Use the data in Table 2.1 to identify the amino acids in tripeptide **A**.

.....
 [2]

- (d) Suggest why the hydrolysed sample of **B** produces only two spots.

.....
 [1]

- (e) Two of the spots from the hydrolysed sample of **C** overlap.

- (i) State the reason for the overlap.

.....
 [1]

- (ii) Suggest an improvement to the method that would allow the overlapping spots to be distinguished clearly.

.....
 [1]

[Total: 7]

BLANK PAGE

- 3 A scientist is asked to find the rate of decomposition of an aromatic diazonium compound and determine the order of the reaction with respect to the aromatic diazonium compound.

- (a) The scientist is given 1.02 g of an aromatic diazonium compound in a 50 cm³ beaker.

Describe the steps the scientist should take to make a 100.0 cm³ standard solution containing 1.02 g of this compound.

Give the name and capacity of the apparatus the scientist should use.

Write your answer using a series of numbered steps.

.....

.....

.....

.....

.....

.....

..... [3]

- (b) Benzenediazonium chloride, an aromatic diazonium compound, decomposes in solution to produce phenol and nitrogen gas. The scientist warms 50 cm³ of the solution to 50 °C. The scientist records the volume of nitrogen gas produced at different times during the decomposition.

- (i) Identify the piece of apparatus that should be used to maintain the temperature of the solution.

..... [1]

- (ii) Identify the dependent variable.

..... [1]

- (iii) Suggest why the scientist does **not** monitor the reaction by measuring the loss in mass.

.....

..... [1]

(c) Table 3.1 shows the results of the experiment.

Table 3.1

time, t/min	volume, V_t/cm^3	$V_{\text{final}} - V_t/\text{cm}^3$
0	0.0	
5	17.3	
9	27.0	
16	39.5	
21	42.6	
28	49.0	
36	52.8	
final	57.2	0.0

V_{final} is the final volume of nitrogen gas measured once the decomposition is complete.

V_t is the volume collected at time = t .

$V_{\text{final}} - V_t$ is proportional to the concentration of the benzenediazonium chloride.

(i) Complete Table 3.1. [1]

(ii) Plot a graph on the grid in Fig. 3.1 to show the relationship between $V_{\text{final}} - V_t$ and time. Use a cross (×) to plot each data point.

Draw a curved line of best fit through the plotted points.


[2]

(iii) Circle the **one** point on the graph that you consider to be most anomalous. [1]

(iv) Suggest **one** reason to explain the anomalous point you have circled.

Assume no error was made in the measurement of volume.

.....
 [1]

**Fig. 3.1**

- (v) Use your graph to find the first two successive half-lives, $t_{1/2}$, for this reaction.

State the coordinates of both points you used in each of your calculations.

first $t_{1/2}$: coordinates and

half-life = min

second $t_{1/2}$: coordinates and

half-life = min
[2]

- (vi) Use your answer to (c)(v) to state the order of the reaction with respect to the benzenediazonium chloride. Explain your answer.

If you were unable to obtain an answer to (c)(v) you may use the values 8.6 min and 11.0 min for the half-lives. These are **not** the correct values.

order =

explanation

.....
[1]

[Total: 14]

BLANK PAGE

Important values, constants and standards

molar gas constant	$R = 8.31 \text{ J K}^{-1} \text{ mol}^{-1}$
Faraday constant	$F = 9.65 \times 10^4 \text{ C mol}^{-1}$
Avogadro constant	$L = 6.022 \times 10^{23} \text{ mol}^{-1}$
electronic charge	$e = -1.60 \times 10^{-19} \text{ C}$
molar volume of gas	$V_m = 22.4 \text{ dm}^3 \text{ mol}^{-1}$ at s.t.p. (101 kPa and 273 K) $V_m = 24.0 \text{ dm}^3 \text{ mol}^{-1}$ at room conditions
ionic product of water	$K_w = 1.00 \times 10^{-14} \text{ mol}^2 \text{ dm}^{-6}$ (at 298 K (25 °C))
specific heat capacity of water	$c = 4.18 \text{ kJ kg}^{-1} \text{ K}^{-1}$ (4.18 J g ⁻¹ K ⁻¹)

The Periodic Table of Elements

Group																			
1	2													13	14	15	16	17	18
1 H hydrogen 1.0																			
2 He helium 4.0																			
3 Li lithium 6.9																			
4 Be beryllium 9.0																			
5 B boron 10.8																			
6 C carbon 12.0																			
7 N nitrogen 14.0																			
8 O oxygen 16.0																			
9 F fluorine 19.0																			
10 Ne neon 20.2																			
11 Na sodium 23.0																			
12 Mg magnesium 24.3																			
13 Al aluminium 27.0																			
14 Si silicon 28.1																			
15 P phosphorus 31.0																			
16 S sulfur 32.1																			
17 Cl chlorine 35.5																			
18 Ar argon 39.9																			
19 K potassium 39.1																			
20 Ca calcium 40.1																			
21 Sc scandium 45.0																			
22 Ti titanium 47.9																			
23 V vanadium 50.9																			
24 Cr chromium 52.0																			
25 Mn manganese 54.9																			
26 Fe iron 55.8																			
27 Co cobalt 58.9																			
28 Ni nickel 58.7																			
29 Cu copper 63.5																			
30 Zn zinc 65.4																			
31 Ga gallium 69.7																			
32 Ge germanium 72.6																			
33 As arsenic 74.9																			
34 Se selenium 79.0																			
35 Br bromine 79.9																			
36 Kr krypton 83.8																			
37 Rb rubidium 85.5																			
38 Sr strontium 87.6																			
39 Y yttrium 88.9																			
40 Zr zirconium 91.2																			
41 Nb niobium 92.9																			
42 Mo molybdenum 95.9																			
43 Tc technetium —																			
44 Ru ruthenium 101.1																			
45 Rh rhodium 102.9																			
46 Pd palladium 106.4																			
47 Ag silver 107.9																			
48 Cd cadmium 112.4																			
49 In indium 114.8																			
50 Sn tin 118.7																			
51 Sb antimony 121.8																			
52 Te tellurium 127.6																			
53 I iodine 126.9																			
54 Xe xenon 131.3																			
55 Cs caesium 132.9																			
56 Ba barium 137.3																			
57–71 lanthanoids																			
72 Hf hafnium 178.5																			
73 Ta tantalum 180.9																			
74 W tungsten 183.8																			
75 Re rhenium 186.2																			
76 Os osmium 190.2																			
77 Ir iridium 192.2																			
78 Pt platinum 195.1																			
79 Au gold 197.0																			
80 Hg mercury 200.6																			
81 Tl thallium 204.4																			
82 Pb lead 207.2																			
83 Bi bismuth 209.0																			
84 Po polonium —																			
85 At astatine —																			
86 Rn radon —																			
87 Fr francium —																			
88 Ra radium —																			
89–103 actinoids																			
104 Rf rutherfordium —																			
105 Db dubnium —																			
106 Sg seaborgium —																			
107 Bh bohrium —																			
108 Hs hassium —																			
109 Mt meitnerium —																			
110 Ds darmstadtium —																			
111 Rg roentgenium —																			
112 Cn copernicium —																			
113 Nh nihonium —																			
114 Fl flerovium —																			
115 Mc moscovium —																			
116 Lv livermorium —																			
117 Ts tennessine —																			
118 Og oganesson —																			
119 Uue unbinilium —																			
120 Uuh unhexium —																			
121 Uuq unquadium —																			
122 Uub unbibium —																			
123 Uut untrium —																			
124 Uuq unquadium —																			
125 Uub unbibium —																			
126 Uut untrium —																			
127 Uuq unquadium —																			
128 Uub unbibium —																			
129 Uut untrium —																			
130 Uuq unquadium —																			
131 Uub unbibium —																			
132 Uut untrium —																			
133 Uuq unquadium —																			
134 Uub unbibium —																			
135 Uut untrium —																			
136 Uuq unquadium —																			
137 Uub unbibium —																			
138 Uut untrium —																			
139 Uuq unquadium —																			
140 Uub unbibium —																			
141 Uut untrium —																			
142 Uuq unquadium —																			
143 Uub unbibium —																			
144 Uut untrium —																			
145 Uuq unquadium —																			
146 Uub unbibium —																			
147 Uut untrium —																			
148 Uuq unquadium —																			
149 Uub unbibium —																			
150 Uut untrium —																			
151 Uuq unquadium —																			
152 Uub unbibium —																			
153 Uut untrium —																			
154 Uuq unquadium —																			
155 Uub unbibium —																			
156 Uut untrium —																			
157 Uuq unquadium —																			
158 Uub unbibium —																			
159 Uut untrium —																			
160 Uuq unquadium —																			
161 Uub unbibium —																			
162 Uut untrium —																			
163 Uuq unquadium —																			
164 Uub unbibium —																			
165 Uut untrium —																			
166 Uuq unquadium —																			
167 Uub unbibium —																			
168 Uut untrium —																			
169 Uuq unquadium —																			
170 Uub unbibium —																			
171 Uut untrium —																			
172 Uuq unquadium —																			
173 Uub unbibium —																			
174 Uut untrium —																			
175 Uuq unquadium —																			
176 Uub unbibium —																			
177 Uut untrium —																			
178 Uuq unquadium —																			
179 Uub unbibium —																			
180 Uut untrium —																			
181 Uuq unquadium —																			
182 Uub unbibium —																			
183 Uut untrium —																			
184 Uuq unquadium —																			
185 Uub unbibium —																			
186 Uut untrium —																			
187 Uuq unquadium —																			
188 Uub unbibium —																			
189 Uut untrium —																			
190 Uuq unquadium —																			
191 Uub unbibium —																			
192 Uut untrium —																			
193 Uuq unquadium —																			
194 Uub unbibium —																			
195 Uut untrium —																			
196 Uuq unquadium —																			
197 Uub unbibium —																			
198 Uut untrium —																			
199 Uuq unquadium —																			
200 Uub unbibium —																			
201 Uut untrium —																			
202 Uuq unquadium —																			
203 Uub unbibium —																			
204 Uut untrium —																			
205 Uuq unquadium —																			
206 Uub unbibium —																			
207 Uut untrium —																			
208 Uuq unquadium —																			
209 Uub unbibium —																			
210 Uut untrium —																			
211 Uuq unquadium —																			
212 Uub unbibium —																			
213 Uut untrium —																			
214 Uuq unquadium —																			
215 Uub unbibium —																			
216 Uut untrium —																			
217 Uuq unquadium —																			
218 Uub unbibium —																			
219 Uut untrium —																			
220 Uuq unquadium —																			
221 Uub unbibium —																			
222 Uut untrium —																			
223 Uuq unquadium —																			
224 Uub unbibium —																			
225 Uut untrium —																			
226 Uuq unquadium —																			
227 Uub unbibium —																			
228 Uut untrium —																			
229 Uuq unquadium —																			
230 Uub unbibium —																			
231 Uut untrium —																			
232 Uuq unquadium —																			
233 Uub unbibium —																			
234 Uut untrium —																			
235 Uuq unquadium —																			
236 Uub unbibium —																			
237 Uut untrium —																			
238 Uuq unquadium —																			
239 Uub unbibium —																			
240 Uut untrium —																			
241 Uuq unquadium —																			
242 Uub unbibium —																			
243 Uut untrium —																			
244 Uuq unquadium —																			
245 Uub unbibium —																			
246 Uut untrium —																			
247 Uuq unquadium —																			
248 Uub unbibium —																			
249 Uut untrium —																			
250 Uuq unquadium —																			
251 Uub unbibium —																			
252 Uut untrium —																			
253 Uuq unquadium —																			
254 Uub unbibium —																			
255 Uut untrium —																			
256 Uuq unquadium —																			
257 Uub unbibium —																			
258 Uut untrium —																			
259 Uuq unquadium —																			
260 Uub unbibium —																			
261 Uut untrium —																			
262 Uuq unquadium —																			
263 Uub unbibium —																			
264 Uut untrium —																			
265 Uuq unquadium —																			
266 Uub unbibium —																			
267 Uut untrium —																			
268 Uuq unquadium —																			
269 Uub unbibium —																			
270 Uut untrium —																			
271 Uuq unquadium —																			
272 Uub unbibium —																			
273 Uut untrium —																			
274 Uuq unquadium —																			
275 Uub unbibium —																			
276 Uut untrium —																			
277 Uuq unquadium —																			
278 Uub unbibium —																			
279 Uut untrium —																			
280 Uuq unquadium —																			
281 Uub unbibium —																			
282 Uut untrium —																			
283 Uuq unquadium —																			
284 Uub unbibium —																			
285 Uut untrium —																			
286 Uuq unquadium —																			
287 Uub unbibium —																			
288 Uut untrium —																			
289 Uuq unquadium —																			
290 Uub unbibium —																			
291 Uut untrium —																			
292 Uuq unquadium —																			
293 Uub unbibium —																			
294 Uut untrium —																			
295 Uuq unquadium —																			
296 Uub unbibium —																			
297 Uut untrium —																			
298 Uuq unquadium —																			
299 Uub unbibium —																			
300 Uut untrium —																			
301 Uuq unquadium —																			