

MARK SCHEME for the October/November 2013 series

9701 CHEMISTRY

9701/35

Paper 3 (Advanced Practical Skills 1),
maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	Mark Scheme	Syllabus	Paper
	GCE A LEVEL – October/November 2013	9701	35

Question	Sections	Indicative material	Mark	
1 (a)	PDO <i>Layout</i>	I Volume given for rough titre and accurate burette readings tabulated. (min of 2 × 2 box)	1	
	MMO <i>Collection</i>	II Initial and final burette readings recorded for rough titre and volume of FA 2 added recorded for each accurate titre and acceptable headings and units in the accurate section. <i>Acceptable headings are initial (burette) reading / initial volume / first reading / start reading Final (burette) reading / final volume / 2nd reading / end reading Titre / volume used / volume added / FA 2 added. (not difference or change in) Acceptable units are /cm³ / in cm³ / (cm³) / cm³ by each reading.</i>	1	
	PDO <i>Recording</i>	III All accurate burette readings recorded to nearest 0.05 cm ³ . <i>Do not award this mark if:</i> • 50 (.00) is used as an initial burette reading • More than one final burette reading is 50 (.00) • Any burette reading is greater than 50. (00)	1	
	MMO <i>Decisions</i>	IV Has two uncorrected, accurate titres within 0.1 cm ³ . <i>Do not include a reading labelled 'rough'. Do not award this mark if, having performed 2 titres within 0.1 cm³, a further titration is carried out which is > 0.1 cm³ from the closer of the 2 initial titres unless further titrations, within 0.1 of any others, have also been carried out. Do not award the mark if any accurate burette readings (apart from initial zero) are given as integer.</i>	1	

Page 3	Mark Scheme	Syllabus	Paper
	GCE A LEVEL – October/November 2013	9701	35

	MMO Quality	V, VI and VII All burette readings should be rounded to the nearest 0.05 cm^3. Subtractions should be checked. Examiner then selects the 'best' titre using the hierarchy: two identical, titres within 0.05 cm^3 etc. These best titres should be used to calculate the mean titre to the nearest 0.01 cm^3. Award V, VI and VII for a difference from Supervisor $\leq 0.2\text{ cm}^3$. Award V and VI for a difference from Supervisor $0.2 < \delta \leq 0.3\text{ cm}^3$. Award V for a difference from Supervisor $0.3 < \delta \leq 0.5\text{ cm}^3$. <i>Spread penalty: if the two 'best' titres used by the Examiner are $\geq 0.50\text{ cm}^3$ apart, cancel 1 Q mark.</i>	3	[7]
(b)	ACE Interpretation	Candidate calculates the mean correctly. Candidate must take the average of two (or more) titres where the total spread is $\leq 0.2\text{ cm}^3$. Working must be shown or ticks must be placed next to the accurate titres selected. The mean should normally be shown to 2 dp, rounded to the nearest 0.01 cm^3. Example 26.667 must be rounded to 26.67 and not 26.65 and 26.675 must be rounded to 26.68 and not 26.70. Two special cases where the mean may not be to 2 dp: Allow mean to 3dp only for 0.025 or 0.075 (e.g. 26.325) Allow mean to 1 dp if all accurate burette readings were given to 1 dp and the mean is exactly correct (e.g. 26.0 and $26.2 = 26.1$ is correct but 26.0 and $26.1 = 26.1$ is incorrect – should be 26.05) <i>Do not award this mark if:</i> <i>The rough titre was used to calculate the mean.</i> <i>The candidate performed only one accurate titration.</i> <i>Burette readings were incorrectly subtracted to obtain any of the accurate titre values.</i> <i>All burette readings (resulting in titre values used in calculation of mean) are integers.</i> <i>Note: the candidate's mean will sometimes be marked correct even if it is different from the mean calculated by the Examiner for the purpose of assessing accuracy.</i>	1	[1]

Page 4	Mark Scheme	Syllabus	Paper
	GCE A LEVEL – October/November 2013	9701	35

(c)	ACE <i>Interpretation</i>	I	Correctly calculates moles of NaOH = $\frac{(b) \times 0.1}{1000}$ in (i) and $\frac{(i) \times 1000}{25.0}$ in (ii)	1	
		II	$1.85 \times 4 = 7.40 \text{ (g dm}^{-3}\text{)}$ and (iii) in (iv) (ii)	1	
	PDO <i>Display</i>	III	All answers to 3 or 4 sf (minimum of 3 answers)	1	
	ACE <i>Conclusions</i>	IV	Acid with nearest M_r . Conclusion must correspond to M_r .	1	
	MMO <i>Decisions</i>	V	Test – (aqueous) bromine/ acidified KMnO_4 / alkaline KMnO_4 . Expected result – decolorises/ (goes) colourless)/ decolorised/ turns green.	1	
					[5]
[Total: 13]					

Page 5	Mark Scheme	Syllabus	Paper
	GCE A LEVEL – October/November 2013	9701	35

Question	Sections	Indicative material	Mark	
2 (a)	PDO <i>Layout</i>	I Records at least four different balance readings (including 2 after heating) in the correct space.	1	[6]
	PDO <i>Recording</i>	II Gives all appropriate headings and units for all weighings.	1	
		III All recorded balance readings consistent to at least 1 decimal place.	1	
	MMO <i>Quality</i>	IV Evidence of reheating to constant mass. For balances reading to 1 dp two masses must be identical. For 2 or 3 dp balances, two masses must be within 0.05g.	1	
		V and VI Examiner calculates $\frac{\text{mass residue}}{\text{mass of water}}$ to 3 significant figures. Award V and VI for a difference from Supervisor up to 0.10. Award V for a difference $0.10 < \delta \leq 0.30$.	2	
(b) (i)	ACE <i>Interpretation</i>	I Calculation of mass of water and iron(II) sulfate	1	[3]
		II M_r s of 18 and 151.9 / sum of A_r s if correctly used	1	
	(ii) PDO <i>Display</i>	III Calculation $x = \frac{\text{mass water} \times 151.9}{\text{mass FeSO}_4 \times 18}$ (or 8.439 / ratio used for Q) and final answer to nearest integer.	1	
	ACE <i>Interpretation</i>			

Page 6	Mark Scheme	Syllabus	Paper
	GCE A LEVEL – October/November 2013	9701	35

(c)	ACE <i>Interpretation</i>	Spitting / decomposition of anhydrous salt / stirring	1	[3]
	ACE <i>Improvements</i>	If value of x is too high, the final mass of solid must be too low / some solid sticks to stirrer / crucible was wet and this water lost on heating / any statement that says that too much water is lost (free standing mark)	1	
		Spitting – lid / larger container / heat more gently.	1	
		Decomposition – practical suggestion to control temperature.		
		No improvement possible for stirring losses (max 2)		
[Total: 12]				
FA 5 = Pb(NO ₃) ₂ ; FA 6 = CaCl ₂ ; FA 7 is Al(NO ₃) ₃ ; FA 8 is ZnSO ₄				
3 (a) (i)	MMO <i>Collection</i>	Sublimes / OWTTE / white smoke / white gas	1	
		Litmus paper to blue and ammonia evolved.	1	
(ii)	MMO <i>Collection</i>	Fizzing / bubbles / gas turns limewater milky	1	
(iii)	MMO <i>Collection</i>	Sodium hydroxide – no reaction.	1	
		Silver nitrate – white precipitate and dissolves partly in nitric acid / does not dissolve in nitric acid / bubbles	1	
(iv)	ACE <i>Conclusions</i>	Anions – CO ₃ ²⁻ and Cl ⁻	1	
		Cation – NH ₄ ⁺	1	
(v)	MMO <i>Decisions</i>	(Aqueous) sodium hydroxide gives ammonia on heating	1	
(vi)	MMO <i>Collection</i>	White (precipitate) and barium carbonate. (ecf of barium sulfite if sulfite in (iv))	1	[9]

Page 7	Mark Scheme	Syllabus	Paper
	GCE A LEVEL – October/November 2013	9701	35

(b)	MMO Collection	<table><tr><th rowspan="2">test</th><th colspan="4">observations</th></tr><tr><th>FA 5</th><th>FA 6</th><th>FA 7</th><th>FA 8</th></tr><tr><td>sodium hydroxide</td><td>white ppt</td><td>white ppt</td><td>white ppt</td><td>white ppt</td></tr><tr><td>excess</td><td>ppt dissolves</td><td>ppt remains</td><td>ppt dissolves</td><td>ppt dissolves</td></tr><tr><td>ammonia</td><td>white ppt</td><td rowspan="2">no reaction</td><td>white ppt</td><td>white ppt</td></tr><tr><td>excess</td><td>ppt remains</td><td>ppt remains</td><td>ppt dissolves</td></tr><tr><td>KI</td><td>yellow ppt</td><td>no reaction</td><td>no reaction</td><td>no reaction</td></tr></table>	test	observations				FA 5	FA 6	FA 7	FA 8	sodium hydroxide	white ppt	white ppt	white ppt	white ppt	excess	ppt dissolves	ppt remains	ppt dissolves	ppt dissolves	ammonia	white ppt	no reaction	white ppt	white ppt	excess	ppt remains	ppt remains	ppt dissolves	KI	yellow ppt	no reaction	no reaction	no reaction
		test		observations																															
			FA 5	FA 6	FA 7	FA 8																													
		sodium hydroxide	white ppt	white ppt	white ppt	white ppt																													
		excess	ppt dissolves	ppt remains	ppt dissolves	ppt dissolves																													
		ammonia	white ppt	no reaction	white ppt	white ppt																													
		excess	ppt remains		ppt remains	ppt dissolves																													
KI	yellow ppt	no reaction	no reaction	no reaction																															
(i)	1 mark for each correct vertical column or 1 mark for each horizontal row (max 3 marks)				4																														
(ii)	ACE Conclusions	FA 5 is Pb ²⁺ , FA 6 is Ca ²⁺ , FA 7 is Al ³⁺ , FA 8 is Zn ²⁺ . All correct scores 2 marks, 2 correct scores 1 mark.			2	[6]																													
[Total: 15]																																			