

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

MATHEMATICS

9709/12

Paper 1 Pure Mathematics 1 (P1)

February/March 2019

1 hour 45 minutes

Candidates answer on the Question Paper.

Additional Materials: List of Formulae (MF9)

READ THESE INSTRUCTIONS FIRST

Write your centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** the questions in the space provided. If additional space is required, you should use the lined page at the end of this booklet. The question number(s) must be clearly shown.

Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place in the case of angles in degrees, unless a different level of accuracy is specified in the question.

The use of an electronic calculator is expected, where appropriate.

You are reminded of the need for clear presentation in your answers.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The total number of marks for this paper is 75.

This document consists of **19** printed pages and **1** blank page.




BLANK PAGE

- 1** The coefficient of x^3 in the expansion of $(1 - px)^5$ is -2160 . Find the value of the constant p . [3]

This image shows a full page of a handwriting practice worksheet. It consists of multiple sets of three horizontal dashed lines, providing a guide for letter height and placement. The lines are evenly spaced across the entire page, leaving ample room for writing practice. There is no text or other markings on the page.

- 2** A curve with equation $y = f(x)$ passes through the points $(0, 2)$ and $(3, -1)$. It is given that $f'(x) = kx^2 - 2x$, where k is a constant. Find the value of k . [5]

This image shows a single page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

4 A curve has equation $y = (2x - 1)^{-1} + 2x$.

(i) Find $\frac{dy}{dx}$ and $\frac{d^2y}{dx^2}$. [3]

This image shows a full page of primary-ruled paper. It features approximately 20 horizontal dashed lines spaced evenly down the page, providing a guide for handwriting practice. The lines are thin and light gray, set against a plain white background. There are no margins, text, or other markings on the page.

- (ii) Find the x -coordinates of the stationary points and, showing all necessary working, determine the nature of each stationary point. [4]

[illegible]

5 Two vectors, $\mathbf{u}$ and $\mathbf{v}$, are such that

$$\mathbf{u} = \begin{pmatrix} q \\ 2 \\ 6 \end{pmatrix} \quad \text{and} \quad \mathbf{v} = \begin{pmatrix} 8 \\ q-1 \\ q^2-7 \end{pmatrix},$$

where q is a constant.

(i) Find the values of q for which $\mathbf{u}$ is perpendicular to $\mathbf{v}$.

[3]

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.

[Turn over

- 6** (i) The first and second terms of a geometric progression are p and $2p$ respectively, where p is a positive constant. The sum of the first n terms is greater than $1000p$. Show that $2^n > 1001$. [2]


[illegible]

- (ii) In another case, p and $2p$ are the first and second terms respectively of an arithmetic progression. The n th term is 336 and the sum of the first n terms is 7224. Write down two equations in n and p and hence find the values of n and p . [5]

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.

- 7 (a) Solve the equation $3 \sin^2 2\theta + 8 \cos 2\theta = 0$ for $0^\circ \leq \theta \leq 180^\circ$. [5]

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.



The diagram shows part of the graph of $y = a + \tan bx$, where x is measured in radians and a and b are constants. The curve intersects the x -axis at $(-\frac{1}{6}\pi, 0)$ and the y -axis at $(0, \sqrt{3})$. Find the values of a and b . [3]

[illegible]

- 8 (i) Express $x^2 - 4x + 7$ in the form $(x + a)^2 + b$. [2]

.....

.....

.....

.....

.....

.....

The function f is defined by $f(x) = x^2 - 4x + 7$ for $x < k$, where k is a constant.

- (ii) State the largest value of k for which f is a decreasing function. [1]

.....

.....

.....

The value of k is now given to be 1.

- (iii) Find an expression for $f^{-1}(x)$ and state the domain of f^{-1} . [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

- (iv) The function g is defined by $g(x) = \frac{2}{x-1}$ for $x > 1$. Find an expression for $gf(x)$ and state the range of gf . [4]

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.




(i) Find, showing all necessary working, the volume obtained when the shaded region is rotated through 360° about the x -axis. [4]

This image shows a full page of a handwriting practice worksheet. It consists of multiple sets of three horizontal dashed lines spaced evenly down the page, providing a guide for letter height and placement. The background is plain white, and there are no other markings or text present.

- (ii) P is the point on the curve with x -coordinate 3. Find the y -coordinate of the point where the normal to the curve at P crosses the y -axis. [6]

[illegible]



(i) The straight line with equation $y = x + 3$ intersects the curve at points A and B . Find the length of AB . [6]

[illegible]

- (ii) The tangent to the curve at a point T is parallel to AB . Find the coordinates of T . [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (iii) Find the coordinates of the point of intersection of the normal to the curve at T with the line AB . [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.