

Cambridge International AS & A Level

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

MATHEMATICS

9709/43

Paper 4 Mechanics

October/November 2020

1 hour 15 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.
- Where a numerical value for the acceleration due to gravity (g) is needed, use 10 m s^{-2} .

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].

This document has **12** pages. Blank pages are indicated.

- 1** A particle P is projected vertically upwards with speed $v \text{ m s}^{-1}$ from a point on the ground. P reaches its greatest height after 3 s.

(a) Find v . [1]

.....

.....

.....

.....

.....

.....

.....

(b) Find the greatest height of P above the ground. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- 2 A box of mass 5 kg is pulled at a constant speed a distance of 15 m up a rough plane inclined at an angle of 20° to the horizontal. The box moves along a line of greatest slope against a frictional force of 40 N. The force pulling the box is parallel to the line of greatest slope.

(a) Find the work done against friction.

[1]

.....

.....

.....

.....

.....

(b) Find the change in gravitational potential energy of the box.

[2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) Find the work done by the pulling force.

[1]

.....

.....

.....

.....

.....

- 3** A string is attached to a block of mass 4 kg which rests in limiting equilibrium on a rough horizontal table. The string makes an angle of 24° above the horizontal and the tension in the string is 30 N.

(a) Draw a diagram showing all the forces acting on the block. [1]

(b) Find the coefficient of friction between the block and the table. [5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- 4** Two small smooth spheres A and B , of equal radii and of masses 4 kg and $m\text{ kg}$ respectively, lie on a smooth horizontal plane. Initially, sphere B is at rest and A is moving towards B with speed 6 m s^{-1} . After the collision A moves with speed 1.5 m s^{-1} and B moves with speed 3 m s^{-1} .

Find the two possible values of the loss of kinetic energy due to the collision.

[6]

This image shows a single page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook or legal stationery. There are no margins, text, or other markings on the page.

- 5** A particle P moves in a straight line. It starts at a point O on the line and at time t s after leaving O it has velocity v m s⁻¹, where $v = 4t^2 - 20t + 21$.

(a) Find the values of t for which P is at instantaneous rest. [2]

.....

.....

.....

.....

.....

.....

.....

(b) Find the initial acceleration of P . [2]

.....

.....

.....

.....

.....

.....

.....

(c) Find the minimum velocity of P . [2]

.....

.....

.....

.....

.....

.....

.....

[Turn over

- 6** A car of mass 1600 kg is pulling a caravan of mass 800 kg. The car and the caravan are connected by a light rigid tow-bar. The resistances to the motion of the car and caravan are 400 N and 250 N respectively.

(a) The car and caravan are travelling along a straight horizontal road.

- (i)** Given that the car and caravan have a constant speed of 25 m s^{-1} , find the power of the car's engine. [2]

.....

.....

.....

.....

.....

.....

- (ii)** The engine's power is now suddenly increased to 39 kW. Find the instantaneous acceleration of the car and caravan and find the tension in the tow-bar. [5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (b) The car and caravan now travel up a straight hill, inclined at an angle of $\sin^{-1} 0.05$ to the horizontal, at a constant speed of $v \text{ m s}^{-1}$. The car's engine is working at 32.5 kW.

Find v .

[3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

.....

.....



- Find the coefficient of friction between particle B and plane Q . [5]

[illegible]

- (b) It is given instead that both planes are smooth and that the particles are released from rest at the same horizontal level.

Find the time taken until the difference in the vertical height of the particles is 1 m. [You should assume that this occurs before A reaches the pulley or B reaches the bottom of plane Q .] [6]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

[illegible]

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.