

Cambridge International AS & A Level

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

MATHEMATICS

9709/21

Paper 2 Pure Mathematics 2

October/November 2021

1 hour 15 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].

This document has **16** pages. Any blank pages are indicated.

BLANK PAGE

- 1** Find the exact value of $\int_{-1}^2 (4e^{2x} - 2e^{-x}) \, dx$.

[4]

[illegible]

- 2 (a) Sketch, on the same diagram, the graphs of $y = 3x$ and $y = |x - 3|$. [2]

- (b) Find the coordinates of the point where the two graphs intersect. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


- (c) Deduce the solution of the inequality $3x < |x - 3|$. [1]

.....

.....

.....

.....



This image shows a full page of white paper with horizontal dashed lines, typical of primary-ruled notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.


- 4** The curve with equation $y = xe^{2x} + 5e^{-x}$ has a minimum point M .

- (a) Show that the x -coordinate of M satisfies the equation $x = \frac{1}{3} \ln 5 - \frac{1}{3} \ln(1 + 2x)$. [5]

[illegible]

- (b) Use an iterative formula, based on the equation in part (a), to find the x -coordinate of M correct to 3 significant figures. Use an initial value of 0.35 and give the result of each iteration to 5 significant figures. [3]

This image shows a full page of primary-ruled paper. It features multiple sets of horizontal dashed lines spaced evenly down the page, providing a guide for handwriting practice. The background is white, and there are no other markings or text present.



The curve crosses the y -axis at the point A and the x -axis at the point B .

- [illegible]

(b) Find the gradient of the curve at A .

[2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) Find the gradient of the curve at B .

[2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- 6 The polynomials $f(x)$ and $g(x)$ are defined by

$$f(x) = 4x^3 + ax^2 + 8x + 15 \quad \text{and} \quad g(x) = x^2 + bx + 18,$$

where a and b are constants.

- (a) Given that $(x + 3)$ is a factor of $f(x)$, find the value of a . [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (b) Given that the remainder is 40 when $g(x)$ is divided by $(x - 2)$, find the value of b . [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (c) When a and b have these values, factorise $f(x) - g(x)$ completely. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (d) Hence solve the equation $f(\operatorname{cosec} \theta) - g(\operatorname{cosec} \theta) = 0$ for $0 < \theta < 2\pi$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- 7 (a) By first expanding $\cos(2\theta + \theta)$, show that $\cos 3\theta \equiv 4\cos^3 \theta - 3\cos \theta$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (b) Find the exact value of $2\cos^3\left(\frac{5}{18}\pi\right) - \frac{3}{2}\cos\left(\frac{5}{18}\pi\right)$. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) Find $\int (12 \cos^3 x - 4 \cos^3 3x) dx$.

[4]

[illegible]

[illegible]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.