



Cambridge International AS & A Level

CANDIDATE
NAMECENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

MATHEMATICS

9709/22

Paper 2 Pure Mathematics 2

October/November 2025

1 hour 15 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].

This document has **12** pages. Any blank pages are indicated.



1 Solve the equation $\ln(3x+5) - \ln(x-2) = 4$. Give your answer in an exact form.

[4]

This image shows a full page of a worksheet designed for handwriting practice. It consists of approximately 20 evenly spaced horizontal dotted lines across the entire page, providing a guide for letter height and placement. The background is plain white, and there are no other markings or text present.



2 Solve the equation $2 \tan^2 \theta + 3 \sec \theta = 18$ for $-180^\circ < \theta < 180^\circ$.

[5]

[illegible]

3 (a) Solve the inequality $|3x - 4| \leq |2x + 5|$. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Hence find the largest integer N satisfying the inequality $|3 \times 7^{0.01N} - 4| \leq |2 \times 7^{0.01N} + 5|$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





4 The polynomial $p(x)$ is defined by

$$p(x) = x^4 - 10x^3 + 20x^2 - 30x + 40.$$

- (a) Find the quotient when $p(x)$ is divided by $(x^2 + 3)$ and show that the remainder is -11 . [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (b) Hence find the real roots of the equation $p(x) + 11 = 0$. Give your answers in exact form. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

.....





The diagram shows the curve with equation $y = 4 \cos 2x + 8 \sin x$ for $0 \leq x \leq \pi$. The maximum points on the curve are denoted by A and B , and the shaded region is bounded by the line segment AB and the curve.

- (a) Find the coordinates of A and B .

[5]

[illegible]



(b) Find the exact area of the shaded region.

[6]

[illegible]



- 6 (a)** Given that $\int_{-2a}^a \left(\frac{1}{2}e^{2x} + \frac{1}{4}e^{-x} \right) dx = 5$, where a is a positive constant, show that

$$a = \frac{1}{2} \ln \left(10 + \frac{1}{2} e^{-a} + \frac{1}{2} e^{-4a} \right). \quad [4]$$

[illegible]

(b) Hence show by calculation that the value of a lies between 1.0 and 1.2.

[2]

.....

.....

.....

.....

.....

.....

.....

.....

(c) Use the iterative formula

$$a_{n+1} = \frac{1}{2} \ln \left(10 + \frac{1}{2} e^{-a_n} + \frac{1}{2} e^{-4a_n} \right)$$

to find the value of a correct to 4 significant figures. Give the result of each iteration to 6 significant figures.

[3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





7 A curve has equation $5x^2y + 4e^{2y} - 7x + 10 = 0$.

- (a) Find an expression in terms of x and y for $\frac{dy}{dx}$ and hence find the gradient of the curve at the point for which $y = 0$. [6]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (b) Show that there is no point on the curve at which the tangent is parallel to the y -axis. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





Additional page

If you use the following page to complete the answer to any question, the question number must be clearly shown.

[illegible]



Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

