



CANDIDATE  
NAME

|  |
|--|
|  |
|--|

CENTRE  
NUMBER

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

CANDIDATE  
NUMBER

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

## 9701/52

February/March 2023

**1 hour 15 minutes**

You must answer on the question paper.

No additional materials are needed.


- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

- The total mark for this paper is 30.
- The number of marks for each question or part question is shown in brackets [ ].
- The Periodic Table is printed in the question paper.
- Important values, constants and standards are printed in the question paper.

This document has **12** pages. Any blank pages are indicated.

- 1 Aqueous iron(II) ions,  $\text{Fe}^{2+}(\text{aq})$ , are usually kept in acidic conditions to prevent them readily oxidising to aqueous iron(III) ions,  $\text{Fe}^{3+}(\text{aq})$ .

$\text{Fe}^{2+}(\text{aq})$  ions react with  $\text{Ag}^{+}(\text{aq})$  ions in a redox reaction. The following equilibrium is established.



The concentration of  $\text{Fe}^{2+}(\text{aq})$  at equilibrium can be found by titration with a standard solution of aqueous potassium manganate(VII),  $\text{KMnO}_4(\text{aq})$ .  $\text{KMnO}_4(\text{aq})$  is deep purple in colour. The equilibrium constant for the reaction can be found using the following equation.

$$K_c = \frac{[\text{Fe}^{3+}(\text{aq})]_{\text{eqm}}}{[\text{Fe}^{2+}(\text{aq})]_{\text{eqm}} \times [\text{Ag}^{+}(\text{aq})]_{\text{eqm}}}$$

A student carries out the experiment using the following instructions.

- step 1** Add  $100.0 \text{ cm}^3$  of  $0.200 \text{ mol dm}^{-3} \text{ AgNO}_3(\text{aq})$  to  $100.0 \text{ cm}^3$  of  $0.200 \text{ mol dm}^{-3} \text{ Fe}(\text{NO}_3)_2(\text{aq})$  in a  $500 \text{ cm}^3$  conical flask and stopper the flask. Label the conical flask **A**.
- step 2** Leave conical flask **A** for four hours, shaking intermittently. Then leave conical flask **A** untouched for one hour.
- step 3** Use a pipette to transfer  $25.00 \text{ cm}^3$  of the solution from conical flask **A** into a clean  $250 \text{ cm}^3$  conical flask. Label this conical flask **B**.
- step 4** Add  $5 \text{ cm}^3$  of  $1.00 \text{ mol dm}^{-3} \text{ NaCl}(\text{aq})$  to the solution in conical flask **B**. A white precipitate of silver chloride forms.
- step 5** Use a measuring cylinder to add  $20 \text{ cm}^3$  of  $1.00 \text{ mol dm}^{-3}$  sulfuric acid to conical flask **B**.
- step 6** Rinse a burette and fill it with a standard solution of  $\text{KMnO}_4(\text{aq})$ .
- step 7** Add  $\text{KMnO}_4(\text{aq})$  to the mixture in conical flask **B** until an end-point is reached.
- step 8** Empty conical flask **B** and rinse it with distilled water ready for the next titration.

The student repeats the titration until concordant readings are achieved.

- (a) The student records their results in Table 1.1.

**Table 1.1**

|                                         | rough | titration 1 | titration 2 | titration 3 |
|-----------------------------------------|-------|-------------|-------------|-------------|
| final burette reading / $\text{cm}^3$   | 10.60 | 20.35       | 30.25       | 9.85        |
| initial burette reading / $\text{cm}^3$ | 0.10  | 10.70       | 20.35       | 0.10        |
| titre / $\text{cm}^3$                   |       |             |             |             |

- (i) Complete Table 1.1. [1]
- (ii) Calculate a suitable mean titre to be used in the student's calculations.

Show clearly how you obtain the mean titre.

mean titre = ..... cm<sup>3</sup> [1]

- (b) State what is meant by a standard solution in **step 6**.

..... [1]

- (c) (i) Suggest why conical flask **A** is left for four hours in **step 2**.

..... [1]

- (ii) Suggest why conical flask **A** is **not** shaken during the final hour in **step 2**.

..... [1]

- (d) Suggest why a measuring cylinder is the most appropriate apparatus to use for measuring sulfuric acid in **step 5**.

..... [1]

- (e) State what the burette should be rinsed with in **step 6**.

..... [1]

- (f) State the change of colour seen in the mixture in conical flask **B** at the end-point in **step 7**.


from ..... to ..... [1]

- (g) The student repeats the experiment using KMnO<sub>4</sub>(aq) at a lower concentration. The student obtains a larger mean titre.

Suggest one reason why a larger titre is better than a smaller titre.


..... [1]

(h) The equilibrium is shown.



When another student carries out the titration with  $0.0200 \text{ mol dm}^{-3} \text{ KMnO}_4(\text{aq})$ , the mean titre is  $21.10 \text{ cm}^3$ .

The ionic equation for the reaction between  $\text{MnO}_4^{-}(\text{aq})$  and  $\text{Fe}^{2+}(\text{aq})$  is shown.



(i) Calculate the concentration of  $\text{Fe}^{2+}(\text{aq})$  in the equilibrium mixture.

$$[\text{Fe}^{2+}(\text{aq})]_{\text{eqm}} = \dots\dots\dots \text{mol dm}^{-3} \quad [2]$$

(ii) Suggest why it is **not** necessary to measure the concentration of  $\text{Ag}^{+}(\text{aq})$  ions in the equilibrium mixture experimentally.

..... [1]

(iii) Determine the decrease in concentration of  $\text{Fe}^{2+}(\text{aq})$  from the initial solution. Hence, determine the concentration of  $\text{Fe}^{3+}(\text{aq})$  in the equilibrium mixture.

If you were unable to obtain an answer to (h)(i), use  $[\text{Fe}^{2+}(\text{aq})]_{\text{eqm}} = 0.0804 \text{ mol dm}^{-3}$ . This is **not** the correct answer.

$$[\text{Fe}^{3+}(\text{aq})]_{\text{eqm}} = \dots\dots\dots \text{mol dm}^{-3} \quad [1]$$

(iv) Determine the value of  $K_c$ . Include units in your answer.

$$K_c = \dots\dots\dots$$

$$\text{units} = \dots\dots\dots [2]$$

[Total: 15]


**BLANK PAGE**

- 2 The reaction between iodide ions,  $\text{I}^{-}(\text{aq})$ , and aqueous hydrogen peroxide,  $\text{H}_2\text{O}_2(\text{aq})$ , takes place in acidic conditions.



A student carries out a series of experiments to investigate the order of reaction with respect to the concentration of  $\text{I}^{-}(\text{aq})$  ions. The student does this by measuring the time taken for a fixed amount of iodine to form.

A known amount of aqueous thiosulfate ions,  $\text{S}_2\text{O}_3^{2-}(\text{aq})$ , in the reaction mixture react with  $\text{I}_2(\text{aq})$  formed in reaction 1.



After all of the  $\text{S}_2\text{O}_3^{2-}(\text{aq})$  ions have reacted in reaction 2, any further  $\text{I}_2(\text{aq})$  formed is detected using starch indicator.

The following materials are used:

- 50 cm<sup>3</sup> beaker containing the correct mass of solid potassium iodide crystals needed to make 250.0 cm<sup>3</sup> of 0.100 mol dm<sup>-3</sup> KI(aq)
- 0.100 mol dm<sup>-3</sup> Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>(aq)
- 0.100 mol dm<sup>-3</sup> H<sub>2</sub>O<sub>2</sub>(aq)
- 0.200 mol dm<sup>-3</sup> H<sub>2</sub>SO<sub>4</sub>(aq)
- starch indicator
- distilled water.

- (a) A second student looked at the equation for reaction 1 and stated the order with respect to the concentration of  $\text{I}^{-}(\text{aq})$  ions must be second order because the balanced equation contains  $2\text{I}^{-}(\text{aq})$ .

Suggest why a balanced equation alone cannot be used to determine the order of a reaction.

..... [1]

- (b) Describe how the student makes 250.0 cm<sup>3</sup> of 0.100 mol dm<sup>-3</sup> KI(aq) starting from the sample of solid potassium iodide in the 50 cm<sup>3</sup> beaker.

Give the name and size of any key apparatus used. Describe how the student ensures the volume is exactly 250.0 cm<sup>3</sup>.

You may wish to write your answer using a series of numbered steps.

.....

.....

.....

.....

.....

..... [3]

(c) The student carries out Experiment 1 using the following steps.

- step 1** Add 25 cm<sup>3</sup> of 0.200 mol dm<sup>-3</sup> H<sub>2</sub>SO<sub>4</sub>(aq) to a conical flask.
- step 2** Add 20.00 cm<sup>3</sup> of distilled water to the conical flask from a burette.
- step 3** Add 5.00 cm<sup>3</sup> of 0.100 mol dm<sup>-3</sup> KI(aq) to the conical flask from a burette.
- step 4** Add 5.00 cm<sup>3</sup> of 0.100 mol dm<sup>-3</sup> Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>(aq) to the conical flask from a burette.
- step 5** Add 2 cm<sup>3</sup> of starch indicator to the conical flask.
- step 6** Use a burette to add 10.00 cm<sup>3</sup> of 0.100 mol dm<sup>-3</sup> H<sub>2</sub>O<sub>2</sub>(aq) to a small beaker.
- step 7** Add the contents of the beaker to the conical flask and start a timer immediately. Stop the timer when the starch indicates the presence of I<sub>2</sub>(aq).

The student carries out a further six experiments by repeating **steps 1 to 7**, using the volumes shown in Table 2.1.

**Table 2.1**

| experiment | volume of H <sub>2</sub> SO <sub>4</sub> (aq) / cm <sup>3</sup> | volume of distilled water / cm <sup>3</sup> | volume of KI(aq), V / cm <sup>3</sup> | volume of Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> (aq) / cm <sup>3</sup> | volume of indicator / cm <sup>3</sup> | time taken for colour change, t / s |
|------------|-----------------------------------------------------------------|---------------------------------------------|---------------------------------------|--------------------------------------------------------------------------------|---------------------------------------|-------------------------------------|
| 1          | 25                                                              | 20.00                                       | 5.00                                  | 5.00                                                                           | 2                                     | 257                                 |
| 2          | 25                                                              | 17.50                                       | 7.50                                  | 5.00                                                                           | 2                                     | 120                                 |
| 3          | 25                                                              | 15.00                                       | 10.00                                 | 5.00                                                                           | 2                                     | 112                                 |
| 4          | 25                                                              | 12.50                                       | 12.50                                 | 5.00                                                                           | 2                                     | 76                                  |
| 5          | 25                                                              | 10.00                                       | 15.00                                 | 5.00                                                                           | 2                                     | 1                                   |
| 6          | 25                                                              | 5.00                                        | 20.00                                 | 5.00                                                                           | 2                                     | 59                                  |
| 7          | 25                                                              | 0.00                                        | 25.00                                 | 5.00                                                                           | 2                                     | 44                                  |

- (i) State how the student could improve the reliability of the experiment.

..... [1]

- (ii) State the independent variable in Experiments 1 to 7.

..... [1]

- (iii) In Experiment 5, the starch indicator changed colour immediately on adding H<sub>2</sub>O<sub>2</sub>(aq). The student realised an error had been made.

Suggest which step was missed in Experiment 5.

..... [1]

(d) The rate equation is represented as  $\text{rate} = k[\text{I}^-]^n$ .

- $[\text{I}^-]$  is proportional to the volume of KI(aq)
- $n$  is the order of reaction with respect to  $\text{I}^-$
- rate is proportional to  $1/t$
- $\log(\text{rate}) = \log k + n \log [\text{I}^-]$

(i) Use the results from the student's experiments in (c) to complete Table 2.2.

$V$  is the volume of KI(aq) and  $t$  is the time taken for the colour to change.

Give all values to **three** significant figures.


The results for Experiment 5 should **not** be used.

**Table 2.2**

| experiment | $V/\text{cm}^3$ | $t/\text{s}$ | $\log V$ | $\log(1/t)$ |
|------------|-----------------|--------------|----------|-------------|
| 1          | 5.00            | 257          |          |             |
| 2          | 10.00           | 120          |          |             |
| 3          | 12.50           | 112          |          |             |
| 4          | 15.00           | 76           |          |             |
| 5          | 17.50           | 1            | X        | X           |
| 6          | 20.00           | 56           |          |             |
| 7          | 25.00           | 44           |          |             |

[2]

- (ii) Plot a graph on the grid to show the relationship between  $\log V$  and  $\log(1/t)$ . Use a cross (x) to plot each data point. Draw a line of best fit.



[2]

- (iii) A timing error caused the most anomalous point on the graph.

Circle this point and explain the error in timing which led to this point.

..... [1]

- (iv) Use your graph to determine the gradient of the line of best fit.

State the coordinates of both points you used in your calculation. These must be selected from your line of best fit.

Give the gradient to **two** decimal places.

coordinates 1 ..... coordinates 2 .....

gradient = .....  
[2]

- (v) The total percentage error from measurements is determined to be 5.25%.

The true order of reaction is 1. Use this and your gradient from **(d)(iv)** to determine whether the error in the experiment could be accounted for by error from measurements or is caused by other factors.

Show any working.

.....  
..... [1]

[Total: 15]

**Important values, constants and standards**

|                                 |                                                                                                                                           |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| molar gas constant              | $R = 8.31 \text{ J K}^{-1} \text{ mol}^{-1}$                                                                                              |
| Faraday constant                | $F = 9.65 \times 10^4 \text{ C mol}^{-1}$                                                                                                 |
| Avogadro constant               | $L = 6.022 \times 10^{23} \text{ mol}^{-1}$                                                                                               |
| electronic charge               | $e = -1.60 \times 10^{-19} \text{ C}$                                                                                                     |
| molar volume of gas             | $V_m = 22.4 \text{ dm}^3 \text{ mol}^{-1}$ at s.t.p. (101 kPa and 273 K)<br>$V_m = 24.0 \text{ dm}^3 \text{ mol}^{-1}$ at room conditions |
| ionic product of water          | $K_w = 1.00 \times 10^{-14} \text{ mol}^2 \text{ dm}^{-6}$ (at 298 K (25 °C))                                                             |
| specific heat capacity of water | $c = 4.18 \text{ kJ kg}^{-1} \text{ K}^{-1}$ (4.18 J g <sup>-1</sup> K <sup>-1</sup> )                                                    |

The Periodic Table of Elements

| Group                  |                         |                        |                        |                         |                        |                         |                       |                        |                         |                      |                        |                         |                         |                                                                |                        |                         |                       |                        |                         |                      |                          |                       |                          |                       |                          |                        |                          |                        |                        |                       |                      |                         |                          |                      |                      |
|------------------------|-------------------------|------------------------|------------------------|-------------------------|------------------------|-------------------------|-----------------------|------------------------|-------------------------|----------------------|------------------------|-------------------------|-------------------------|----------------------------------------------------------------|------------------------|-------------------------|-----------------------|------------------------|-------------------------|----------------------|--------------------------|-----------------------|--------------------------|-----------------------|--------------------------|------------------------|--------------------------|------------------------|------------------------|-----------------------|----------------------|-------------------------|--------------------------|----------------------|----------------------|
| 1                      | 2                       |                        |                        |                         |                        |                         |                       |                        |                         |                      |                        |                         |                         | 13                                                             | 14                     | 15                      | 16                    | 17                     | 18                      |                      |                          |                       |                          |                       |                          |                        |                          |                        |                        |                       |                      |                         |                          |                      |                      |
|                        |                         |                        |                        |                         |                        |                         |                       |                        |                         |                      |                        |                         |                         | 1<br>H<br>hydrogen<br>1.0                                      |                        |                         |                       |                        |                         |                      |                          |                       |                          |                       |                          |                        |                          |                        |                        |                       |                      |                         |                          |                      |                      |
|                        |                         |                        |                        |                         |                        |                         |                       |                        |                         |                      |                        |                         |                         | Key                                                            |                        |                         |                       |                        |                         |                      |                          |                       |                          |                       |                          |                        |                          |                        |                        |                       |                      |                         |                          |                      |                      |
|                        |                         |                        |                        |                         |                        |                         |                       |                        |                         |                      |                        |                         |                         | atomic number<br>atomic symbol<br>name<br>relative atomic mass |                        |                         |                       |                        |                         |                      |                          |                       |                          |                       |                          |                        |                          |                        |                        |                       |                      |                         |                          |                      |                      |
| 3                      | 4                       |                        |                        |                         |                        |                         |                       |                        |                         |                      |                        |                         |                         | 5                                                              | 6                      | 7                       | 8                     | 9                      | 10                      | 11                   | 12                       |                       |                          |                       |                          |                        |                          |                        |                        |                       |                      |                         |                          |                      |                      |
| Li<br>lithium<br>6.9   | Be<br>beryllium<br>9.0  |                        |                        |                         |                        |                         |                       |                        |                         |                      |                        |                         |                         | B<br>boron<br>10.8                                             | C<br>carbon<br>12.0    | N<br>nitrogen<br>14.0   | O<br>oxygen<br>16.0   | F<br>fluorine<br>19.0  | Ne<br>neon<br>20.2      |                      |                          |                       |                          |                       |                          |                        |                          |                        |                        |                       |                      |                         |                          |                      |                      |
| 11                     | 12                      |                        |                        |                         |                        |                         |                       |                        |                         |                      |                        |                         |                         | 13                                                             | 14                     | 15                      | 16                    | 17                     | 18                      |                      |                          |                       |                          |                       |                          |                        |                          |                        |                        |                       |                      |                         |                          |                      |                      |
| Na<br>sodium<br>23.0   | Mg<br>magnesium<br>24.3 |                        |                        |                         |                        |                         |                       |                        |                         |                      |                        |                         |                         | Al<br>aluminium<br>27.0                                        | Si<br>silicon<br>28.1  | P<br>phosphorus<br>31.0 | S<br>sulfur<br>32.1   | Cl<br>chlorine<br>35.5 | Ar<br>argon<br>39.9     |                      |                          |                       |                          |                       |                          |                        |                          |                        |                        |                       |                      |                         |                          |                      |                      |
| 19                     | 20                      | 21                     | 22                     | 23                      | 24                     | 25                      | 26                    | 27                     | 28                      | 29                   | 30                     | 31                      | 32                      | 33                                                             | 34                     | 35                      | 36                    | 37                     | 38                      | 39                   | 40                       | 41                    | 42                       | 43                    | 44                       | 45                     | 46                       | 47                     | 48                     | 49                    | 50                   | 51                      | 52                       | 53                   | 54                   |
| K<br>potassium<br>39.1 | Ca<br>calcium<br>40.1   | Sc<br>scandium<br>45.0 | Ti<br>titanium<br>47.9 | V<br>vanadium<br>50.9   | Cr<br>chromium<br>52.0 | Mn<br>manganese<br>54.9 | Fe<br>iron<br>55.8    | Co<br>cobalt<br>58.9   | Ni<br>nickel<br>58.7    | Cu<br>copper<br>63.5 | Zn<br>zinc<br>65.4     | Ga<br>gallium<br>69.7   | Ge<br>germanium<br>72.6 | As<br>arsenic<br>74.9                                          | Se<br>selenium<br>79.0 | Br<br>bromine<br>79.9   | Kr<br>krypton<br>83.8 | Rb<br>rubidium<br>85.5 | Sr<br>strontium<br>87.6 | Y<br>yttrium<br>88.9 | Zr<br>zirconium<br>91.2  | Nb<br>niobium<br>92.9 | Mo<br>molybdenum<br>95.9 | Tc<br>technetium<br>— | Ru<br>ruthenium<br>101.1 | Rh<br>rhodium<br>102.9 | Pd<br>palladium<br>106.4 | Ag<br>silver<br>107.9  | Cd<br>cadmium<br>112.4 | In<br>indium<br>114.8 | Sn<br>tin<br>118.7   | Sb<br>antimony<br>121.8 | Te<br>tellurium<br>127.6 | I<br>iodine<br>126.9 | Xe<br>xenon<br>131.3 |
| 55                     | 56                      | 57–71<br>lanthanoids   | 72                     | 73                      | 74                     | 75                      | 76                    | 77                     | 78                      | 79                   | 80                     | 81                      | 82                      | 83                                                             | 84                     | 85                      | 86                    | 87                     | 88                      | 89–103<br>actinoids  | 104                      | 105                   | 106                      | 107                   | 108                      | 109                    | 110                      | 111                    | 112                    | 113                   | 114                  | 115                     | 116                      | 117                  | 118                  |
| Cs<br>caesium<br>132.9 | Ba<br>barium<br>137.3   |                        | Hf<br>hafnium<br>178.5 | Ta<br>tantalum<br>180.9 | W<br>tungsten<br>183.8 | Re<br>rhenium<br>186.2  | Os<br>osmium<br>190.2 | Ir<br>iridium<br>192.2 | Pt<br>platinum<br>195.1 | Au<br>gold<br>197.0  | Hg<br>mercury<br>200.6 | Tl<br>thallium<br>204.4 | Pb<br>lead<br>207.2     | Bi<br>bismuth<br>209.0                                         | Po<br>polonium<br>—    | At<br>astatine<br>—     | Rn<br>radon<br>—      | Fr<br>francium<br>—    | Ra<br>radium<br>—       |                      | Rf<br>rutherfordium<br>— | Db<br>dubnium<br>—    | Sg<br>seaborgium<br>—    | Bh<br>bohrium<br>—    | Hs<br>hassium<br>—       | Mt<br>meitnerium<br>—  | Ds<br>darmstadtium<br>—  | Rg<br>roentgenium<br>— | Cn<br>copernicium<br>— | Flerovium<br>—        | Mc<br>moscovium<br>— | Lv<br>livermorium<br>—  | Ts<br>tennessine<br>—    | Og<br>oganeson<br>—  |                      |

|                          |                        |                             |                          |                       |                         |                         |                           |                        |                           |                        |                       |                        |                          |                         |
|--------------------------|------------------------|-----------------------------|--------------------------|-----------------------|-------------------------|-------------------------|---------------------------|------------------------|---------------------------|------------------------|-----------------------|------------------------|--------------------------|-------------------------|
| lanthanoids              |                        |                             |                          |                       |                         |                         |                           |                        |                           |                        |                       |                        |                          |                         |
| 57                       | 58                     | 59                          | 60                       | 61                    | 62                      | 63                      | 64                        | 65                     | 66                        | 67                     | 68                    | 69                     | 70                       | 71                      |
| La<br>lanthanum<br>138.9 | Ce<br>cerium<br>140.1  | Pr<br>praseodymium<br>140.9 | Nd<br>neodymium<br>144.4 | Pm<br>promethium<br>— | Sm<br>samarium<br>150.4 | Eu<br>europium<br>152.0 | Gd<br>gadolinium<br>157.3 | Tb<br>terbium<br>158.9 | Dy<br>dysprosium<br>162.5 | Ho<br>holmium<br>164.9 | Er<br>erbium<br>167.3 | Tm<br>thulium<br>168.9 | Yb<br>ytterbium<br>173.1 | Lu<br>lutetium<br>175.0 |
| actinoids                |                        |                             |                          |                       |                         |                         |                           |                        |                           |                        |                       |                        |                          |                         |
| 89                       | 90                     | 91                          | 92                       | 93                    | 94                      | 95                      | 96                        | 97                     | 98                        | 99                     | 100                   | 101                    | 102                      | 103                     |
| Ac<br>actinium<br>—      | Th<br>thorium<br>232.0 | Pa<br>protactinium<br>231.0 | U<br>uranium<br>238.0    | Np<br>neptunium<br>—  | Pu<br>plutonium<br>—    | Am<br>americium<br>—    | Cm<br>curium<br>—         | Bk<br>berkelium<br>—   | Cf<br>californium<br>—    | Es<br>einsteinium<br>— | Fm<br>fermium<br>—    | Md<br>mendelevium<br>— | No<br>nobelium<br>—      | Lr<br>lawrencium<br>—   |